



Indian Bank



ALLAHABAD

मंडलीय कार्यालय:मुंबई मनीष कमर्शियल सेंटर 216 ए, डॉ.एनी बेसेंट रोड, वरली, मुंबई -400030

ZONAL OFFICE: MUMBAI(WEST)
Manish Commercial Centre,
216 A, Dr. Annie Besant Road,
Worli, Mumbai- 400 030

e-mail: mumwest.property@indianbank.co.in

ZO: MUM(W)/PREM/MHB/2022-23

Date: 12.10.2022

7	7	2	е						•		•	•	•		•				•	

Dear Sir,

Sub:- Supply and installation of Compactor at Andheri West of 1st Floor Neo Vikram CHSL Sahakar Nagar, New Link Road, Andheri West, Mumbai - 400058.

Anent the above, please submit the sealed quotation for supply and installation of compactor to our Zonal office at 1st Floor, Neo Vikram CHSL, Sahakar Naagr, New Link Road, Andheri West, Mumbai – 400058. Tenders to be submitted on or before 19.10.2022 up to 3.00 PM. Submission of tenders beyond stipulated time will be rejected. Tenders will be opened on same day at 3.30 PM. Quotations are to be submitted in your letter head to Zonal office Mumbai West.

SI No	Description	No	Rate
	ile storage system (compactor) for keeping files / documents / reco	rds as pe	er the
details	/ BOQ / Technical Specifications enclosed	7/3	
	FOR ZONAL OFFICE STORE ROOM		
01	SFFU D : SINGLE FACED FIXED UNIT O/S 2200 X 1800 X	2	
	405 D WITH 5 COMPTS / DOOR ON 1 SIDE	100	
02	DFMU DD : DOUBLE FACED MOBILE UNIT O/S 2200 X	7	
	1500 X 670 D WITH 5 COMPTS / DOORS ON BOTH SIDE		
	FOR RMPC STORE ROOM		
03	DFMU DD : DOUBLE FACED MOBILE UNIT O/S 1800 X	5	
	1200 X 670 D WITH 4 COMPTS / DOORS ON BOTH SIDE		
	FOR BRANCH STORE ROOM *		
04	DFMU DD : DOUBLE FACED MOBILE UNIT O/S 2200 X 900	4	
	X 670 D WITH 5 COMPTS / DOORS ON BOTH SIDE		
	FOR MCB STORE ROOM		
05	DFMU DD : DOUBLE FACED MOBILE UNIT O/S 1800 X	4	










Indian Bank



ALLAHABAD

मंडलीय कार्यालय:मुंबई मनीष कमर्शियल सेंटर 216 ए, डॉ.एनी बेसेंट रोड, वरली, मुंबई -400030

ZONAL OFFICE: MUMBAI(WEST)
Manish Commercial Centre,
216 A, Dr. Annie Besant Road,
Worli, Mumbai- 400 030

e-mail: mumwest.property@indianbank.co.in

	1500 X 670 D WITH 4 COMPTS / DOORS ON BOTH SIDE	
06	GST	
07	Total	

^{*} NOTE: FOR BRANCH ONLY PUSH / PULL MANUAL TYPE & OTHERS MECHANICAL TYPE

The rates should be inclusive of installation, assemble and all taxes. The warranty of the product is 02 years. The material should be delivered and installed within 21 days from the date of work order. Payment will be released within 15 days from date of submission of required documents. Bank reserve the right to cancel the tender without assigning any reason.


Thanking you,


Yours faithfully,


CHIEF MANAGER















- * ALL DIMENSIONS ARE IN MM
- * DFMU DOUBLE FACED MOVEABLE UNIT
- * DFFU DOUBLE FACED FIXED UNIT
- * SFFU SINGLE FACED FIXED UNIT
- * SFMU SINGLE FACED MOVEABLE UNIT
- * DFMU (D) DOUBLE FACED MOVEABLE UNIT WITH DOOR ON ONE SIDE
- * DFMU (DD) DOUBLE FACED MOVEABLE UNIT WITH DOOR ON BOTH SIDE




- * ALL DIMENSIONS ARE IN MM
- * DFMU DOUBLE FACED MOVEABLE UNIT
- * DFFU DOUBLE FACED FIXED UNIT
- * SFFU SINGLE FACED FIXED UNIT
- * SFMU SINGLE FACED MOVEABLE UNIT
- * DFMU (D) DOUBLE FACED MOVEABLE UNIT WITH DOOR ON ONE SIDE
- * DFMU (DD) DOUBLE FACED MOVEABLE UNIT WITH DOOR ON BOTH SIDE










- * ALL DIMENSIONS ARE IN MM
- * DFMU DOUBLE FACED MOVEABLE UNIT
- * DFFU DOUBLE FACED FIXED UNIT
- * SFFU SINGLE FACED FIXED UNIT
- * SFMU SINGLE FACED MOVEABLE UNIT
- * DFMU (D) DOUBLE FACED MOVEABLE UNIT WITH DOOR ON ONE SIDE
- * DFMU (DD) DOUBLE FACED MOVEABLE UNIT WITH DOOR ON BOTH SIDE



- * ALL DIMENSIONS ARE IN MM
- * DFMU DOUBLE FACED MOVEABLE UNIT
- * DFFU DOUBLE FACED FIXED UNIT
- * SFFU SINGLE FACED FIXED UNIT
- * SFMU SINGLE FACED MOVEABLE UNIT
- * DFMU (D) DOUBLE FACED MOVEABLE

 UNIT WITH DOOR ON ONE SIDE
- * DFMU (DD) DOUBLE FACED MOVEABLE UNIT WITH DOOR ON BOTH SIDE

TECHNICAL SPECIFICATIONS FOR COMPACTORS.

Manually operated & mechanically assisted Mobile Storage Systems slide smoothly & effortlessly on rails to provide maximum storage capacity by compaction thus saving valuable space and cost incurred in storing things.

*THE UNDERCARRIAGE:

- *BASE FRAME: The Base Frame shall be fabricated in 'C' Channel Type from 10 / 12 G M.S. CRCA sheets with size of channel 35 MM X 100 MM X 45 MM / 25 MM.
- *GUIDE RAILS: The Guide Rails shall be made out of 30 MM round Bright Bars placed on a M.S. CRCA Track with end stoppers which will be above the floor as per International Standards of Safety.
- *THE SUPERSTRUCTURE: The Super Structure of the Compactor System will consist of Completely Knock Down Type Components such as Vertical Panels, 8 bend Shelves with Centre Stiffeners, Top Panel, Centre Partitions, Drive Cover Panels & Doors (if required) in 22 G (0.80 mm) CRCA Steel.
- *CENTRAL LOCKING SYSTEM: Will be provided on the last unit. When all the units are brought together the System Lock fitted on the last unit is engaged & hence does not allow access to the entire system.
- *SAFETY LOCKING: We also provide each moving unit with a Safety Lock which when engaged will prevent them from moving to avoid trapping and hurting the user inside.
- * TROLLEY DRIVE MECHANISM: The wheels are fitted on Special Grade Antifriction Bearings to have a smooth & effortless movement.
- *INDEXING APPRANGEMENT: Acrylic Card Holders (1 / 2 Nos) will be provided on the front panel.
- *DRIVE WHEEL: We provide a 3 Prong Drive Wheel for better leverage, torque & easy movement of the trolley over the rails.
- *PRE-TREATMENT: All the above MS CRCA components go through a thorough 7 tank chemical process of De Greasing, De Rusting and Phosphatizing.
- *PAINTING: The entire system is Epoxy Powder Coated in Structure Finish having a minimum thickness of 60 Microns.