INDIAN BANK

ZONAL OFFICE AGRA

TENDER DOCUMENTS

INTERIOR FURNISHINGWORK

BRANCH: AWAS VIKASH BRANCH AGRA

Issued by

Indian Bank

Zonal Office Agra, Premises Department Shop No 12, First Floor, The Cross Road Mall, Plot No GP 5 and GP-6 Pt. Deen Dayal Upadhyay- Puram, Sikandara Road Agra- 282007 Issued To

M/s

Date:

Architects

GUPTA AND ASSOCIATES

Architects & Interior Designers 9B- 42 Mohankunj VrindavanYojna Raebareli Road Lucknow U.P. 226029 Email: guptaassociates@gmail.com Mobile 7906158347





INDEX

DESCRIPTION	PAGE NO.
FORM OF TENDER	3
NOTICE INVITING TENDER	4
INSTRUCTIONS TO TENDERERS	5–7
ARTICLES OF AGREEMENT	8-11
GENERAL RULES AND INSTRUCTIONS TO TENDERERS	12-17
SCHEDULE OF QUANTITIES	18-25
APPROVED LIST OF MATERIALS	26
DRAWINGS	27-31



Indian Bank Estate & Expenditure Deptt Zonal Office Agra

Dear Sir,

0

SUB: Invitation of Tender for Interior works in the New Premises of Avas Vikas Branch Agra Having examined the drawings, specifications, conditions and schedule of quantities prepared by you, and satisfying ourselves as to the location of the site and working conditions, I/We hereby offer to execute the above works at the respective rates which I/We have quoted for the items in the Schedule of Quantities.

I/We herewith deposit Rs. 9000-00 /- (Rupees Nine thousand Only)(1% of project value) by crossed demand draft/Bank Guarantee on the Bank other than clientele, payable at Agra and drawn in favour of Indian Bank as Earnest Money Deposit for the due execution of the works at my/our tendered rates, together with any variations should the work be awarded to me/us. In the event of this tender being accepted, I/We agree to enter into and execute the necessary contract required by you. I/We do hereby bind myself/ourselves to forfeit the aforesaid Earnest Money Deposit of Rs.9000-00 /- (Rupees Nine thousandOnly)in the event of our refusal or delay in signing the Contract Agreement. I/We further agree to complete the work within the stipulated time specified in the tender.

Thanking you,

Yours faithfully,

[To be signed by the Authorized Representative of Tenderer who has the Power to do so]

Place:

Date:

Witness

Signature:

Name:

Address:

Seal:





INDIANBANK ZONAL OFFICE - AGRA

NOTICE INVITING TENDER

Indian Bank, Zonal Office Agra invites sealed tenders from empaneled contractors with Indian Bank (single bid system) for proposed Interior Electrical work in the new premises of Agra. The Tender Documents can be downloaded from the Bank's website (www.indianbank.in) under

1	Name of work	Interior Interior B
		Interior - Interior Furnishing Works, in
2	Estimated cost of work	new premises of Avas Vikas Branch Agra Rs 9.06 Lakh
3	Period of completion	
	a si completion	30days. Which will be reckoned from 5 TH
		day from the date of issue of the Work
		Order or handing over of site whichever is later.
4.	Tender Documents	Tender documents can be downloaded from the
		Bank's website (www.indianbank.in) under
		Tenders column between 04/01/24 to 18/01/24
5	Cost of tender document	Nil
6	Last d ate of submission of	19/01/24 upto 16:00 HRS at Indian Bank, Zonal
	tenders	Office, Shop No 12, First Floor, The Cross Road
		Mall, Plot No GP 5 and GP-6 Pt. Deen Daval
	-	Upadhyay Puram Sikandara Road Agra- 282007
7	EarnestMoneyDeposit	Rs. 9000 /-(Rupees Nine thousand Only)by
		way of DD in favor of Indian Bank payable
		at Agra
	P	
8	Date of openingTender	20/12/24 at15:00HRS Indian Bank, Zonal Office,
	v.	Estate Department Office, Shop No 12, First Floor
		The Cross Road Mall, Plot No GP 5 and GP-6 Pt.
		Deen Dayal Upadhyay Puram Sikandara Road
9	Validity of Tender	Agra- 282007
10		90 Days from the date of opening
10	Defects Liability Period	12Months from the date of virtual completion of
Note:		work.

1. The bank reserves the right to reject any tender/bid without assigning any reason.



ZONALMANAGER



ZONALMANAGER

INSTRUCTIONS TO TENDERERS

1.0 LOCATION

- 1.1 Address of the building site is Indian Bank (New Premises) Avas Vikas Branch Agra UP.
- 1.2 Composition of Premise Interior, Electrical works of banking hall on ground floor.

2.0 SCOPE OF WORK

The work involves interior furnishing related works as per Drawings, Specifications and Conditions of Contract and in conformity with the guidelines of Local Authorities/ Statutory Bodies, Labour dept. etc.

3.0 SUFFICIENCY OF TENDER

3.1 Tenderers must get acquainted with the proposed work and study drawings, designs, specifications, conditions of contract, schedule of quantities and other tender documents carefully before tendering. No request of any change in rates or conditions for want of information on any particular point shall be entertained after receipt of the tenders. In case of any discrepancies or uncertainty concerning anything contained in the tender documents, the tenderer shall obtain the clarification and quote his rates accordingly. No claim for additional payment will be entertained, if the tenderer fails to comply with this requirement.

No extra charges consequent on any misunderstanding or otherwise shall be allowed.

4.0 SITE ENGINEER:

The Successful tenderer shall, before receiving Work Order, get the Site Engineer and his team (whom he intends to post full time at site) interviewed and approved by Employer /Architect.

5.0 TENDERER TO VISIT SITE:

Each Tenderer must before submitting his tender visit the site of works so as to ascertain the physical site conditions and prices, availability and quality of materials according to Specifications before submitting the quotations.

6.0 SUBMISSION OF TENDER:

Tender shall be downloaded and submitted online/physically as per guideline given by tendering agency.



🛕 इलाहाबाद

ALLAHABAD

7.0 EARNEST MONEY:

- 7.1 The Tenderer must pay the amount of Earnest Money as mentioned in the Notice of Tender Invitation by Bank Guarantee / Bank Demand Draft payable to Indian Bank. No interest on Earnest Money deposited by the Tenderer shall be allowed. The Tenderer should attach the Bank Guarantee / Bank Draft along with the tender failing which the tender will not be considered. No other mode of payment shall be accepted.
- 7.2 The Bank Guarantee for Earnest Money shall remain valid for 3 months from the date of submission of tender. The Earnest Money Deposit of unsuccessful tenderers shall be refunded within three weeks of award of contract to the successful tenderer or within one week of actual commencement of work whichever is earlier and, in any case, not later than four months.

The Earnest Money Deposit of the successful tenderer shall be refunded on the acceptance by the Employer of the Contractor's Bank Guarantee/ Demand Draft towards Security Deposit.

7.3 The Bank Guarantee/ Demand Draft for Earnest Money shall be issued in favour of **Indian Bank**, payable atAgra.

The name of the work shall be as mentioned in tender documents.

The Bank Guarantee shall conform to the Proforma E

8.0 VALIDITY:

Tenders submitted by Tenderers shall remain valid for acceptance for a period upto end of **90** days from the date of opening of part-1 of the tender. The Tenderers shall not be entitled during the period of validity, without the consent in writing of Employer to revoke or cancel his tender or to vary the tender given or any terms thereof. If the tenderer revokes his tender or modifies it in anyway without the Employer's concurrence, the Employer shall without prejudice to other rights, be at liberty to forfeit the entire Earnest Money deposited by the tenderer.

9.0 ADDENDA:

- 12.1 Addenda to the tender document may be issued along with the tender to clarify documents or to reflect modifications to the design or contract terms.
- 12.2 Each addendum issued by the Employer will be distributed to each person or organisation to whom a set of tender documents has been issued. Each recipient will submit the same along with his tender. All addenda issued by the Employer shall become part of Tender Documents.

10.0 RIGHT TO ACCEPT OR REJECT TENDER:

10.1 The right to accept a tender will rest with the Employer who is not bound to accept the lowest or any tender and who reserves the right to reject any or all the tenders received without assigning any reasons. The Employer also reserves the right to accept the whole or any part of the tender and the tenderer shall be bound to perform the same at the rates quoted. All tenders



in which any of the prescribed conditions are not fulfilled or are incomplete in any respect or there is any correction not duly signed by the tenderer are liable to be rejected. For this purpose, the tenderer shall quote rates for various items which will be self-sufficient to meet their whole costs for executing any / every item. No demand for variations in rates for any item executed on the plea of the Client deciding to delete, alter or reduce the quantities prescribed in respect of other items.

10.2 The work may be awarded to one or more agencies by splitting the work at the entire discretion of the Employer. The quoted rates by the contractor shall hold good for such an eventuality.

11.0 TIME SCHEDULE:

The time allowed for completing the works is **30 days (one month)** to be reckoned From**5 Days** from the date of Work Order / date of handing over site whichever is later.

TIME IS THE ESSENCE OF THE CONTRACT

Tenderers shall submit a program (time schedule) for executing the entire project and shall furnish the details of their scheme indicating the proposed deployment of their machinery and resources.

12.0 RATES:

The rates quoted shall exclude GST but includes all other costs, allowances, excise and octroi duties, levies and taxes or any other charges including any enhanced labour rates etc., which may become effective for any reason including those due to acts of Government / Statutory Bodies enacted from time to time by the State and or the Central Government. Under no circumstances, shall the Employer be held responsible for compensation or loss to the Contractor due to any increase in the cost of labour or materials, variation in exchange rates etc.

The rates quoted by the tenderers shall include all eventualities such as heavy rain, sudden floods etc., which may cause damage to the executed work or which may totally wash out the work, until the Completion Certificate is issued to the contractor. The Employer will not be responsible for such damage or wash-out of the construction work. The contractor shall have to claim any losses on such accidents from insurance policies which he shall take for this work.

The prices shall be adjusted up in case of any new taxes, levies or duties by Statutory Authorities and shall be adjusted up or down in case of any revisions in existing taxes, levies or duties by Statutory Authorities on presentation of documentary proof by the Contractor.

No escalation of prices shall be permitted on any other account.

13.0 SIGNING OF THE CONTRACT:

The successful tenderer shall be required to execute an Agreement in the proforma attached with this tender document within 7 days from the date of receipt of the notice of acceptance of tender. In the event of failure on the part of the successful tenderer to sign the agreement





within the above stipulated period, the earnest money will be forfeited and the acceptance of the tender shall be considered as cancelled.





ARTICLES OF AGREEMENT

India No GI (here	AGREEMENT is made onthis
	M/s having its office at
	inafter referred to as the "Contractor") which expression shall include its
	ssor, legal heirs and assignees of the second part.
WHE	REAS the Employer has caused drawings and tender documents for Interior/
renov	ation works (Electrical&AC work) for its Avas Vikash Branch Agra.
AND v	vhereas the Employer has called for tender vide ref. no.
	whereas the contractor has submitted the tender ref. no.
dated AND v	whereas the Contractor has agreed to execute the work as per
drawi	ngs,specifications, conditions of contract and Work Order.
AND v	vhereas the Employer has accepted the Contractor's tender as aforesaid and
Where	eas the tender submitted by the contractor has been accepted for such sum as may
be asc	ertained to be payable in terms of the Bill of Quantities and which sum is
estima	ited to be Rs(Rupees)
herein	after referred to as the said "Contract Agreement".
NOW '	THIS AGREEMENT WITNESSETH AS FOLLOWS:-
1)	In consideration of the said Contract Sum to be paid at the times and in the manner set forth in the said Conditions the Contractor shall carry out and complete the Civil, Electrical Works in terms and conditions herein contained and according to the general conditions of the contract, notice inviting tender, special conditions of contract, general scope of work, technical specifications, schedule of rates and instructions to be given by and the supervision of and to the entire satisfaction of the Employer.
2)	Contract Price, Taxes and Payment Terms:
	Total contract price is Rs which is inclusive of cost of materials, equipment, installation charges and tools and tackles required for execution of the job. Above price is inclusive of all other taxes only GST will be paid as per law. AdvanceGST& Income tax on payments will be deducted and deposited
	्रियन स्टि



by Employer in accordance with the sales tax law of the state and the provisions of tax deductions at source under income tax act 1961.

3) Completion Period:

Time is the essence of the Contract. The work is to be completed in all respects within 30 (one month) reckoned from 5th day from the date of issue of the Work Order or handing over of site whichever is later. If the Contractor fails to complete the job within the agreed time period the Contractor will have to bear liquidated damages as per the relevant clause mentioned in the Tender Documents.

4) **Earnest Money:**

The Contractor has deposited an amount of Rs. 9000./- (Rupees Nine thousand only) as earnest money.

5) Inspection of Site:

The Contractor has inspected the site before submitting his tender and has satisfied himself as to the nature of the work to be executed on the site. Any difficulties which the Contractor may come across in the course of the work shall in no way relieve the contractor to claim or receive extra payment unless the Employer is of the opinion that such difficulties could not have been foreseen and the Employer consents in writing.

6) Supply of Material and Labour:

The Contractor shall arrange all labour, materials, equipments, tools, tackles and everything necessary for the completion of the work. The Contractor will assume all responsibility for the safety, protection and accounting of all material and equipment and the work during construction. All materials used by the Contractor shall be of the best quality conforming to the required specification mentioned in the tender document and will be subject to the approval of the Employer. All such materials not approved by the Employer shall be removed at once by the Contractor at his own expense. The Contractor shall also at his own expense arrange for carrying out any test of materials which the Employer may from time to time require or if so desired by the employer.

7) Defective Work / Materials:

If any part of the work done by the Contractor is found defective in workmanship or if bad or inferior materials have been used the Contractor shall at his own risk and cost demolish all such defective work and rebuild the same and / or replace the bad or inferior materials used within a time frame mentioned to the satisfaction of the Employer. The decision of the Employer in this regard shall be final and binding on the Contractor. In case of default of the contractor to remove the defective work and rebuild the same or replace bad or inferior materials as directed by the Employer, the Employer shall be entitled to employ anyone else to carry out the same at risk and cost of the Contractor and recover all expenses incurred in this regard from the contractor.



8) Inspection of Work:

During progress of the work the Employer shall be entitled at all times to have access to and inspect the work.

9) **Supervision**:

The state of the s

The Contractor shall provide one or more competent and technical qualified engineers duly and fully authorized to act on his behalf in all matters relating to the works to be carried out under or any other matter concerning this agreement and who shall at all times be present at the works while any work is in progress as per directions, explanations & instructions of Employer.

10) Compliance with Statutory Regulations & Work Rules:

The Contractor shall be responsible for complying with the applicable laws / bye laws / Regulations in force from time to time and shall have to bear all statuary liabilities to the workers / personnel engaged for the job. Nothing will be paid extra in this regard. If any amount is paid by the Employer with this regard the same amount shall be deducted from the Contractor's dues. The Contractor shall have to arrange insurance cover for the workers / personnel engaged by him for the job.

11) Determination of Contract:

In the event of Contractor failing to keep / adhere to agreed schedule of work, or in the event of the Contractor failing to comply with the provisions of this contract by default and / or negligence and / or suspension of work or in the event of Contractor failing to complete the work within the stipulated period, the Employer may terminate this Agreement forthwith and employ, at the Contractor's risk and cost, another contractor or sufficient number of workmen to complete the work.

12) Force Majeure:

This clause will be operative only if the work is delayed by

- a) Acts of God
- b) Earthquake or floods or similar natural calamities.
- c) Serious loss or damage by fire or lightning.

In case any Force Majeure condition herein mentioned occurs and continues for a period exceeding 15 days the parties hereto undertake to sit together and devise ways for expeditious and proper performance of the obligations of the parties under this order.

13) Arbitration:

"In the event of any dispute or difference relating to interpretation and application of provisions of the contract and all disputes/claims whatsoever which shall either during the continuance of the contract or afterwards either between the parties to the contract or the respective representatives touching the construction/application of any provision/clause mentioned in the contract or any account or liability between the parties to the contract or as to any act or deed, or emission of any party to the contract in any way relating to these



raised failing which the same shall be settled by arbitration in accordance with provisions of Indian arbitration and Conciliation act 1996.

The Parties concerned shall designate an arbitrator on mutual consent/consensus. In the event of no consensus being arrived, an Arbitral Tribunal shall be constituted comprising three Arbitrators, each party appointed one arbitrator and a third arbitrator to be appointed by the two arbitrators so appointed by the parties. The venue of the arbitration shall be exclusively at Chennai and any award passed by arbitrator or the arbitral Tribunal shall be final, conclusive and binding upon the parties and shall be deemed to have been made between parties themselves. The parties to the dispute shall share equally the cost of arbitration as intimated by the arbitrator".

IN WITNESS whereof the said contracting parties have set their hands and seals on the dayand year first hereinabove witness.

Witness Address

Employer

Witness Address

Contractor



🛆 इताहाबाद

ALLAHABAD

GENERAL RULES AND INSTRUCTION FOR THE GUIDANCE OF TENDERERS

- 1 The Indian Bank does not bind itself to accept the lowest or any tender and reserves to itself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- The rate quoted by the Tenderer shall be net, up to the stage of incorporation and handing over site. Only GST will be paid on producing necessary documents and bills. Rates shall be for SITC and for complete work

The rate quoted should be excluding GST.

The vendor who wishes to quote for the tender should have GST registration and should mention the registration number.

- 5 The Tenderer shall give a list of his relatives working with the Indian Bank along with their designations and addresses.
- No employee of the Indian Bank is allowed to work as a contractor for a period of two years of his retirement from Indian Bank service, without the previous permission of the Indian Bank. The contract is liable to be cancelled if either the contractor or any of his employees is found at any time to be such a person who had not obtained the permission of the Indian Bank as aforesaid before submission of the tender or engagement in the Tenderers service.
- 7 The tender for works shall remain open for acceptance for a period of 90 days from the date of opening of Tender. If any tenderer who withdraws his tender before the said period, then the Indian Bank shall be at liberty to forfeit Earnest Money paid along with the tender.
- The tender for the work shall not be witnessed by a Tenderer or Tenderers who himself/ themselves has/have tendered or who may and had/ have tendered for the same work. Failure to observe this condition would render tenders of the Tenderers tendering as well as witnessing the tender liable to summary rejection.
- 9 It will be obligatory on the part of the tenderer to tender and sign the tender documents for all the component parts.
- 10 Transfer of tender documents purchased by one intending Tenderer to another is not permitted.
- 11 The Tenderer must pay the amount of Earnest Money as mentioned in the Notice of Tender Invitation by Bank Guarantee / Bank Demand Draft payable to Indian Bank. No interest on Earnest Money deposited by the Tenderer shall be allowed. The Tenderer should attach the Bank Guarantee / Bank Draft along with the tender failing which the tender will not be considered. No other mode of payment shall be accepted.
- 12 The Bank Guarantee for **Earnest Money shall remain valid for 3 months** from the date of submission of tender. The Earnest Money Deposit of unsuccessful tenderers shall be refunded within three weeks of award of contract to the successful tenderer or within one week of actual commencement of work whichever is earlier and in any case not later than four months.
- 13 The Earnest Money Deposit of the successful tenderer shall be refunded on the acceptance by the Employer of the Contractor's Bank Guarantee/ Demand Draft towards Security Deposit.

- 15 **The retention amount at 5%** on the value of the bill paid will be held by the IndianBank. **50% of the retention amount will be paid after completion of the project** and balance 50% will be released at the end of Defects liability period, subject to satisfactory rectification of defects noticed, if any. EMD & retention amount held in our Indian Bank's books will not carry any interest.
- The acceptance of a tender will rest with the Indian Bank and the Indian Bank reserves to itself the authority to reject any or all of the tenders received without the assignment of a reason. Tenders in which any of the prescribed conditions are not fulfilled (or) are incomplete in any respect are liable to be rejected. The Indian Bank reserves the right to accept the tender in full or in part and the tenderer shall have no claim for revision of rates or other conditions if his tender is accepted in parts.
- 17 Canvassing in connection with tenders is strictly prohibited and the tenders submitted by the Tenderers who resort to canvassing will be liable to rejection.
- 18 All rates shall be quoted on the proper form of the tender alone. **All the entries tobe made legibly in ink only.** Rates written in pencil or any other mode shall not beconsidered for evaluation and will be rejected.
- 19 An item rate tender containing percentage below / above will be summarily rejected. However, where a tenderer voluntarily offers a rebate for payment along with sealed tender, the same may be considered.
- 20 On acceptance of the tender the name of the accredited representative(s) of the Tenderer who would be responsible for taking instructions from the Indian Bank shall be communicated to the Indian Bank.
- 21 Special care should be taken to write the rates in figures as well as in words and the amounts in figures only, in such a way that interpolation is not possible. The total amount should be written both in words and in figures.
- 22 The Contractor shall within 7 days of receiving the WORK ORDER submit a **securitydeposit of 2%** of the contract value in the form of a Demand Draft or BankGuarantee in an approved format at which stage the Demand Draft or Bank Guarantee submitted in lieu of E.M.D shall be returned. On acceptance of the Demand Draft or Bank Guarantee by the Employer, the Earnest Money Deposit shall be refunded to the Contractor.
- 22 The Contractor shall comply with and give all notices required under any law, rules, regulations, or bye-law of Parliament, State Legislature or Local Authority relating to works. If needed, the Contractor has to obtain required permission/approval from the building secretary/association. The Contractor shall before commencing the execution of work issue a certificate to the Employer that he has obtained all the permissions Registrations and give all the notices as are required to be obtained or given under law particularly blasting permission, Police permission etc.
- 23 The Contractor shall be required to maintain the site and the building areas in a neat and clean condition at all times to the satisfaction of the Employer. The Contractor shall especially take care to keep areas free from getting water logged, from concrete/mortar dippings, bricks, steel, shuttering materials or any other material / rubbish.
- Debris and items removed from the building have to be neatly stacked at site and then periodically removed (maximum of one week), carried away by the Contractor and disposed off as per the rules and regulations of the Local Authorities concerned. No debris shall be thrown loose from upper floors. No

🛕 इलाहाबाद

ALLAHABAD

detailing and finishes, which they consider, is appropriate, and suitable for the intended use. The contractor is not eligible to claim extra on this account.

- 26 Employer will require the contractor to produce, samples of all the materials, accessories/ finishes prior to procurement/ manufacture. The samples of the materials for the work shall be got approved from the Employer. Failure to comply with these instructions can result in rejection of the work/ materials.
- 27 For painting, sample area shall be prepared and the shade got approved. It is also advised to give computer presentation of various colour schemes to the employer before going for sample painting.
- 28 The Tenderer should note that he should execute his part of work without causing any damage to any component of the building and also without disturbing the occupants. Any damage so caused shall be made good at the cost & risk of the tenderer.
- 29 The successful tenderers shall include, in the quoted price, all allied civil works such as chasing in wall, drilling holes etc to support the frames, partitions, make the surface good after grouting, scaffolding required if any to load/ unload the materials etc.
- 30 The successful contractor shall also be responsible for the safety and security of all their materials and also for ensuring fire prevention steps at all times in the working premises including their part of the work. The successful contractor has to place full time representative at site, the representative should have thorough subject knowledge.
- 31 The work shall be carried out without disturbing the existing occupants of other offices. Necessary barricading of the area, if required from the rest of the area shall have to be arranged by the successful contractor at no extra cost. The work is to be organized and executed so as to have least disturbance to the occupants of other flats.
- 32 The bills in proper forms must be duly accompanied by detailed measurements in support of the quantities of work done and must show deductions for all previous payments, retention money etc.
- 33 The contractor should ensure payment of minimum wages + VDA to all labourers / workmen staff employed by him in line with central/ state labour wage act whichever higher.

The Contractor shall at all times indemnify and keep indemnified the Employer against all losses, claims, damages or compensation including under the provisions of the payment of the Wages Act 1936, Minimum Wages Act 1948, Employer's

Liability Act 1938, Workman's Compensation Act 1923, the Maternity Benefit Act 1961, the Bombay Shops and Establishments Act 1947, Industrial Disputes Act 1947, and Contract Labour (Regulation and Abolition) Act 1970 and Employees State Insurance Act 1948, Motor Vehicles Act 1988 or any modifications thereof or under any other law relating thereto and rules made thereunder from time to time or as a consequence of any accident or injury to any workman or other person in or about the work whether in the employment of the Employer or Contractor or not, and also against all costs, charges and expenses of any suit, action or proceedings whatsoever out of such accident or injury or combination of any such claims.

From commencement to completion of works, the Contractor shall take full responsibility for the care of the work and for taking precautions to prevent loss

नगरतीय कार्याच्य

ALLAHABAD

(excludingcivil war, rebellion, revolution and insurrection) or any latent defect or damage and shall at his own cost repair and make good the same so that at all times the work shall be in good order and condition and in conformity in every respect with the requirements of the Contract.

34 For the purpose of this condition this expression "from commencement to completion of works" shall mean the period starting with the date of issue of Work Order or date of handing over of site whichever is later and ending with issue of Virtual Completion Certificate.

Without limiting the obligations and responsibilities under this condition, the Contractor shall insure and keep insured the works from commencement to completion, as aforesaid, for the full contract value including Price Variation Adjustment if any against the risk of loss or damage from any cause whatsoever including the causes enumerated in the foregoing paragraphs. In the event of there being a variation in the nature and extent of the works, the Contractor shall from time to time increase or decrease the value of the insurance correspondingly. All the premium for the insurance shall be borne and paid by the Contractor.

Before commencing the work, the Contractor shall without limiting his obligations and responsibilities under this condition, insure against any loss of life or injury to any personnel in the employment of Contractor / Sub-Contractor/nominated Sub-Contractor. For this purpose, an insurance shall be taken by the Contractor /Sub-Contractor. Such an insurance shall be taken to include both employees/workmen covered by the Workman's Compensation Act 1923, as well those employees/workmen not covered by the said Act. Separate insurance policies may be taken for employees/ workmen covered by Workman's Compensation Act 1923, and employees / workmen not covered by the said Act. All the premium shall be paid by the Contractor. Policy/Policies taken under this para for the personnel in employment with the Contractor / Sub-Contractor may be in their Employer's names of the Contractor / Sub-Contractor / nominated Sub-Contractors. In the event of any loss or injury to personnel in employment with the Contractor / Sub-Contractor / nominated Sub-Contractors, the Employer and Contractor shall recover directly from the Insurance Company and ensure that payment of the same is made to the affected parties including the Employer. The policy in original shall be deposited with the Employer.

The Contractor shall at all times indemnify and keep indemnified the Employer against all losses and claims for injuries or damage to any person or any property whatsoever which may arise out of or in consequence of the construction and maintenance of the work and against all claims, demands, proceedings, damages, costs, charges and expenses whatsoever in respect of or in relation thereto. Before commencing the execution of the works, the Contractor shall without in any way limiting his obligations and liabilities under this condition, insure at his cost and expense against any damage or loss or injury which may be caused to any person or property including the employees and directors of the Employer and their property by or in the course of the execution of the works. Such insurance to be known as the Third Party Insurance shall be in a sum of **Rs. 1.0 lakh**. The Insurance policy to be so obtained by the Contractor shall bedeposited by the Contractor with the Employer within Seven days of its issue by the Insurer.

35 The Contractor shall take all precautionary measures to ensure the safety of the workmen employed by it. The contractor shall be fully responsible for the any injury or damage caused to the workmen deployed by him at site for carrying



ALLAHABAD

- 36 The contractor shall maintain all registers as required by the Regional Labour Commissioner and should furnish the same to the Bank or its representative as and when required.
- 37 If the work is not started within **7 days** from the date of issue of work order then Employer may terminate the work order without assigning any reason. If during the execution of the work, the progress of work is not considered to be satisfactory and is not consistence to be in contingent with the period of the completion of the work then the Bank may terminate the work order by giving a final notice to the contractor.
- 38 The time allowed for completing the works is **30 days** to be reckoned from **5Days** from the date of Work Order / date of handing over site whichever is later. Tenderers shall submit a programme (time schedule) for executing the entire project and shall furnish the details of their scheme indicating the proposed deployment of their machinery and resources.
- 39 If the Contractor fails to complete any or all the works by the date/s named in Clause 38 (Date of Completion) or within any extended time (permitted by Bank)then the Contractor shall pay or allow the Employer the sum to be worked out at 1.0% of contract value per week to be recovered as Liquidated Damages (andnot by way of penalty) for the delay, beyond the said date or extended time, as the case may be, during which the works shall remain unfinished and such damages may be deducted from any moneys due or which may become due to the Contractor. The maximum amount of Liquidated damages shall be 10% of contract value. The contractor shall be bound to extend validity of Insurance Cover till such period of completion as may be considered necessary at their cost.
- 40 The successful tenderer shall be required to execute an Agreement in the proforma attached with this tender document within **7 days** from the date of receipt of the notice of acceptance of tender. In the event of failure on the part of the successful tenderer to sign the agreement within the above stipulated period, the earnest money will be forfeited and the acceptance of the tender shall be considered as cancelled.
- 41 The final bill will be released on satisfactory completion of the entire work and on completion of all the terms and conditions / obligations spelt out and on proper submission of the bill together with the measurements. Final Bill settlement is within 45 days from the date of proper submission of bill & measurements.
- 42 Bank may ask contractor to submit Material test certificate (MTC) from approved companies of which material has been used. Bank may ask to submit GST paid bills for items purchased to ascertain quality.

ZONAL MANAGER,

Indian Bank, Zonal Office, Zonal Office Agra, Premises Department Shop No 12, First Floor, The Cross Road Mall, Plot No GP 5 and GP-6 Pt. Deen Dayal Upadhyay Puram Sikandara Road Agra- 282007





🛕 इलाहाबाद

S.N	ITEM DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
1	Providing and fixing at all height false ceiling of straight edge 12.5 mm Gyp board, including providing and fixing of frame work made of special sections power pressed from M.S. sheet and galvanised in accordance with zinc coating 600 as per IS: 277 and consisting of angle cleats of size 25mm wide x 1.6 mm thick with flanges of 22mm and 37mm at 1200mm centre to centre one flange fixed to the ceiling with dash fastner 12.5 mm dia x 40 mm long with 6mm dia bolts to the angle hangers of 25x25x5mm of required length, and other end of angle hanger being fixed with nut and bolts to G.I. channels 45x15x0.9mm running at the rate of 1200mm centre to centre to which the ceiling section 0.5mm thick bottom edge of 80 mm with tapered flanges of 26 mm each having clips of 10.5mm at 450 mm centre to centre shall be fixed in a direction as per manufactureer's specification. Complete works including cutting cutouts for light fixtures and AC equipments as required.		56.00		
	Item includes Three coats of plastic paint (Asian Royal white colour) over primer coat. (All the gapes vertical or horizontal has to be concealed, only horizontal surface area will be				
	measured.) approved make for Gyp board and GI section::				
2	MODULAR FALSE CEILING - ARMSTRONG / equivalent make	Sqmt	46.00		
	Providing and fixing Armstrong (Dune Max) 16 mm thick, with Tegular 24 edge (prelude 24 mm grid sections) false ceiling of size 24"x24" at levels as shown in the drwng, from FFL. Rate shall be inclusive of providing the total system with installation etc. The contractor has to maintain all tiles in good order and replace the defected tiles (at his own cost) before handing over the site for Branch Operations (till Inauguration).				
	Supplying and erecting low height partitions (upto max. 1200 mm. high) as per drawing and conforming to the following specifications:				
	basic frame work				
	frame work made of 50x50x 1.5 m.m. aluminum sections, studs and runners at 600 mm max interval both ways anchored to wall by nylon sleeves and Screw, complete thickness of partitions to be 75 mm maximum.				



S.N	ITEM DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
	Double skin (8/9 mm) thick BWR grade plywood/HDMR with 1 x 1 mm. grooves formed at the top layer as per drawing/instructions. Normall partition will be 1200mm high and top portion will be 12 mm toughen etched glass (height upto 400mm)/ upholstered soft board. Open Edge of glass shall be bevelled /edge polished as pedesign.	d e y	Ų.ii.	KATE	AMOUN
	finishing				
	1.0 mm thick laminate sheet of APPROVED laminate. same or combination shades as per instructions.				
	edge moulds				
	All free top/end surfaces shall have polished steam beach wood / Teak wood moulds of approved shape (from 80 x 25 mm sections) with NC lacquer in mat finish over zinc polish.				
	Quoted rates shall include all necessary materials, accessories and labour and also allow provisions for electrical/telephone/computer wiring conduits and switch boxes, etc (Materials for wiring conduits and switch boxes shall be separately paid for.)	Sqmt	8.70		
	Supplying and erecting full height partly glazed partitions/ solid (upto 3000 mm height) as per drawing and conforming to the following specifications:				
	basic frame work				
1	frame work made of 50x50x 1.5 m.m. thick aluminium sections, studs and runners at 600 mm max interval both ways anchored to wall by nylon sleeves and Screw. Alternate vertical section shall be fixed to RCC ceiling.				
k [Skin membrane : Double skin (8/9 mm) thick BWR grade plywood/hdmr with 1 x 1 mm. grooves formed at the top layer as per drawing/instructions.				
	inishing:				
la	poth sides shall be laminated with 1.0 mm thick aminate (as approved). Grooves as per design shall be made in laminate.				
	lazing :				
a Z T	mm. thick toughen glass fixed with continuous eak wood / steamed beech glazing beads of pproved shape (finished 35 x 25 mm) all round, inc polished and coated with NC lacquer finish, he rate should also include cost for decorative tching on one side of the glass.	Sqmt	30.00		
m pr w fo	nuoted rates shall include all necessary naterials, accessories and labour and also allow rovisions for electrical/telephone/computer iring conduits and switch boxes, etc (Materials or wiring conduits and switch boxes.) (In easurement height up to false ceiling level will	100	SUP NO SUPERIOR SUPER		

1.2	N ITEM DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
а	Same as Above but 8 mm Bison Board on both side Laminate. (UPS Room Partition)	Sqint	7.00		
b	Same as Above but with one side laminate and one side ACP. (ATM Partition)	Sqmt	7.00		
5	Supplying and fixing in position overall 35 mm thick solid core hot pressed phenol formaldehyde bonded approved flush door shutter finished with 1.0 mm thick laminate of approved make and colour on both sides of the door shutter including cost of hardware fittings e.g. mortise locks, four noheavydutySS hinges, SS door handles etc. of approved make and quality. 8 mm thick clear float glass shall be fixed by teak wood beading as per design and drawing, teak wood shall be finished in melamine Zinc polish as required. Item also include providing Teak wood chaukhat of size 75 mm x 100 mm. Flush door shall have 12 mm thick lipping all around.	Sqmt	7.25		
а	Same as above but without chowkhat	Sqrnt	11.10		
6	ENTRANCE DOORS - WITH TOUGHENED GLASS (PATCH FITTINGS) Providing and fixing frameless fully glazed 12mm thk toughened float glass fixed with necessary patch fittings (Dorma make) including cutting, making holes, cutouts in the glass of required shape and size to accommodate fittings and fixing the fittings in floors, soffits, jams including necessary fixtures, screws, sealant wherever required and SS cover over patch fittings. Rate shall include necessary etching film / LOGO, approved patch fitting locking systems, 1 pair of 12" long S. S. (C Shape) Handles of approved make, floor springs, and any necessary hardware items. (MAKE Top Pivot - PT 24, Top Patch Fittings - PT 20, Bottom Patch fittings - PT 10, Floor Spring - BTS 75 V, Corner lock with strike plate and Euro Profile Cylinder - US 10, Handle - TG 9300 EQ - S 25mm dia X 300mm length)				
а	FULLY GLAZED (12MM THK TOUGHENED GLASS) (DORMA FITTINGS)	Sqmt	3.90		
b	Fixed glazing item same as above but for fixed glazing of 12 mm thick toughen glass with Dorma Fittings.	Sqmt	1.00		
7	FULL/ Low HT. Cabinet (450 mm DEPTH X750 mm HT.) IN LAMINATE FINISH.	Sqmt	10.15		
	Providing and laying Full / low ht. Storage units of sizes as mentioned above. They shall consist of a top of 25 mm thk. BWR. Ply, 19 mm thk. BWR. Ply sides and base, 6 mm thk. Comm. ply back, 19mm thk. BWR. Ply shutter/ glass shutter with self-closing hinges of ebco make (full oval open).	दिन्द्रा	न बैंक		

🛕 इलाहाबाद

S.N	ITEM DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
	Division of shutters shall be made equally according to the length of the storage. A 19 mm thk. Fixed Ply shelf on battens shall be provided at 400 mm / specified intervals from the base.				AHOON
	1 mm thick PVC Lipping (edge binding) with matching to laminate colour shall be provided to the edge of the storage top. All inner surfaces including shutters, rear side, shall be finished with 0.75 mm thick balancing laminate of matching colour. (measurement :front surface area W x H)				
	Rate shall be inclusive of all necessary approved fittings like hinges(ebco make), locks, 4" long brushed finish handles, tower bolts, 100 mm high SS legs (as required) and any miscellaneous hardware items.				
3	SHUTTERS WITH FRAME FOR ELECTRICAL PANELS Providing and fixing 18mm thk. HDMR/Cement board shutters with same HDMR frame. Division of shutters shall be made equally according to the length. Shutters shall be hinged to the framework and finished with 1.0mm thk. Laminate of approved colour and shade on outer side and inside shall be finised with two coats of fire retardent paint of app colour and shade. Rate shall be inclusive of all necessary approved fittings like hinges, ball catch,150 mm long SS Brush Finish handle, tower bolts, locks, Aluminium powder coated air vent grills on top and bottom and necessary hardware fitings complete, etc.(measurement front surface W xH)	sqmt	4.00		
	Providing and erectingin position, free - standing table as per drawing and conforming to the following specifications:				
	basic structure of 19 mm thick BWR grade plywood for sides and modesty panel, finished with 1.00 mm thick laminate sheet of approved shade and make, including inner faces (colour combination, shall be strictly as per Bank's approved standard). Table top shall be 19 mm thick well finished with laminate of approved make.				
1	drawer-cum-cabinet unit of approximate overall size of 400 x 500 x 600 mm (w x d x h) of 19 mm thick BWR grade plywood and 12/6 mm thick BWR grade plywood. The drawer unit shall be finished with 1.00 mm thick laminate sheet of approved shade including inner faces of cabinet shutters.				
6	Readymade keyboard drawer of ebbco or approved) and all necessary accessories suitably suspended below table top;				
F	Readymade CPU holder with swivel facility		TO THE MAN		

S.N	ITEM DESCRIPTION	UNIT	QTY.	RATE	AMOUN
	Quoted rates shall also include cost of melamine polished teak beach wood moulding to edges plywood surfaces; approved drawer-slides, concealed type auto - closing shutter hinges and locks with keys in duplicate; other necessary hardware and accessories including satin finish S.S handles, knobs and wire - managers etc. of approved quality.				SHOUN
а	a) Manager table size of 1650 x 750 X 750 mm	Each	1.00		
b	b) Officer size of 1500 x 700 X 750 mm	Each	0.00		
С	c) Supplying and erecting running table 750 mm deep and 750mm high specification same as above. (for 3 users)	Rmt	8.50		
d	item same as above but without apron (server table)	Rmt	1.50		
e	Side table 1100 x 750x750 (with three drawer & shutter)	Each	2.00		
f	Counter Railing (From Counter Top, 1'6" High)Providing & fixing of 12.0 mm plain glass in two pieces and fixing with wooden support along with side partition glass edges should be polished and necessary opening for scroll	Sqm	5.25		
3	Providing and erecting in position Teller Counter as per standard design comprising of clerical workstation of approx.size 1500 L x 900 w x 750 mm ht and inclusive of a 1150 mm high, 300 mm wide customer writing top finished with 1.0 mm thick laminate sheet of approved shade and quality, fixed with chemical adhesive, exposed surfaces of plywood are to be provided with 6 mm thick polished steam beech wood lipping.	Rmt	1.50		
	All visible surface shall be finished in specified laminate of approved make on the drawer and table top, on the apron.				
	Each cash work station shall comprise of the following:				
	Cash drawers with approved telescopic channels for drawer - slides , automatic locks (keys in duplicate) and other necessary hardware and accessories including satin finish S.S handles of approved quality;				
	Readimade CPU holder with swivel facility (CPU HL SW, Ebbco or similar)	1/2	हियुन चैंक (AN 84)		
1	The front of the cash counters shall have 12 mm thick toughen bevelled top edge glass	6	मण्डलीय कार्यालय आगरा Zonal Office	3	



S.N	TIEM DESCRIPTION	UNIT	QTY.	DATE	
	Quoted rates shall include cost of necessar hardware, viz. handles, locks with keys i duplicate, etc.	3/	QIT.	RATE	AMOUN
10	CENTED LOOPUS				
a.	- I ABLES				
	CORNER TABLES(2'-0" x 2'-0" x 1'-6"HT.)	NOS.	0.00		
b.	CENTER TABLES (1'-6" X 3'-0" X 1'-6"HT) coffee table	NOS.	1.00		
	Providing and making corner / side tables o above mentioned size as per drg. Table top shal consist of 12 mm. Thk. Float glass with champhered edge with approved quality etching. The base shall be made up of CP Teak wood frame as directed by the Architect. All exposed faces finished with natural polish All surfaces will be finished with melamine polish.				
-	Supplying andfixing suggestions box/cheque				
11	deep x 500 mm high made of 19 mm thick BWR ply, all as in drawing, complete with hardware fittings and fixtures of approved make and quality.		2.00		
	All exposed surfaces of ply board are to be finished with 1.0 mm thick laminate. Inner faces of plywood surfaces are to be finished with french polish.				
	Rate to include cost of necessary hardware fittings e.g. brass hinges, lock, knob etc. of approved design and quality.				
2	Providing and fixing beveled edge mirror in size 600mmx 900 mmx6mm of superior glass (make modiguard /saint gobain) complete with 6 mm hard board ground fixed to wooden cleats with CP brass screws and washers complete.	Nos.	2.00		
	Supplying and erecting wall mounted Customers' writing top 450x 1350 mm made of (a) top will be 12 mm toughen glass with beveling and machine polsih work (b) bottom will be 19 mm thick B.W.R. grade plyboard supported on SS wall brackets. Exposed board top and sides are to be finished with 1.0 mm thick laminate. Item Includes Providing and fixing 19 mm celotex Board (Pin up board) covered with textured felt of approved color by coca nails and it shall be fixed to wall by concealed pelmet clip.	Each	1.00		
	Supplying and fixing in position Opaque Roller Blinds approved equivalent make to the window openings.	Sqmt	8.25		



S.N	ITEM DESCRIPTION	UNI	T 0		
15	BOXING FOR ROLLING SHUTTER Providing fixing 3/4" HDHMR boxing for the rolling shutte Necessary MS framing shall be provided. The boxing shall be finished on all exposed sides 4.0 mm ACP and internally with enamel pair Note: Rate shall include all necessary hardway fittings, etc.	& rs. he	· VIII	RATE	AMOUI
16	PANELLING ON WALLS - with frame WIT LAMINATE Providing and fixing panelling o wall. Framing shall consist of Heavy dut Aluminium Box Sections 50mm x 25 mm (600mm c/c Both ways horizontally and verticall on the wall. This framing would be covered b 8mm thk. BWR Ply (Green /Duro/ Century Archid) finished with approved 1.0 mm. Thk Laminate . Wooden moulding, lipping etc. as directed by Bank / architect shall be provided wherever required.	y y y Sqmt	25.00		
	ACP Work Providing and fixing panelling on wall. Framing shall consist of Aluminium section 50 mm x 25 mm @ 600mm C/C. Both ways horizontally and vertically on the wall / with as directed by Bank / Architect. This framing would be covered by 4mm thick "Aluminium Composite Panel" exterior grade. The rate shall inclusive of necessary fixtures and fittings, sealant etc. complete.(ATM)	Sqmt	30.00		
18	PAINTING WORK Scraping the existing paint, levelling, filling the cracks / crevices with POP putti /POPpunning as equired, applying single coat of primer and the 3 coats of Plastic Emulsion Paint / Oil Paint of approved make & shade to the walls, ceiling, windows / doors as per instructions etc complete.	Sqmt	210.00		
a in	NAMEL PAINT roviding & applying 1 st quality oil paint of pproved make, quality & shade. The rate shall clude scrapping, levelling & preparing the urface with primer quote.	Sqmt	25.00		
Pr	M SYNTHETIC DOOR MATS (4'-0" x 2'-0") oviding & laying in place Synthetic Door Mats M) of sizes not less that 4' x 2').	No	2.00		
-	tal				
NO IN BA	OTE: FIRE RESISTANT PAINTS TO BE APPLIED SIDE THE CUPBOARDS HOUSING UPS & TTERY, VSAT IDU & ELECTRICALS IN THE M ROOM.				





Approved Material List Furnishing Work

One of the following make of the material shall be used. The contractor will have to get the sample approved from the Architect/ Bank's Engineer whose decision shall be binding on the contractor. The condition is also applicable for any material, not mentioned in the specification or schedule of work. No deviations are allowed in these even during/after Tender.

LIST OF APPROVED BRANDS / MAKES

S.No	Description			
1.	Cement	Approved Brand/Manufacturer M/s ACC. M/s Prism M/s J		
		M/s ACC, M/s Prism, M/s Jaypee, M/s Ultra Tech		
2.	Wood			
		First class Teak wood / Steam beach wood / or as specified		
3	Polish	specified / Steam beach wood / or as		
	- Charles	MRF Polyurethane		
4	Termite treatment	- Try directionie		
	readment	Chloroporyphos 200/ com		
5.	Soft Board	Chloroporyphos 20% concentration / Dusban / Terminator Pidilite make		
	Soft Board	Celotex		
6	False Ceiling and Sections			
	drid Sections	Grid Ceiling-Armstrong, Gypsum -St Gobain Gypsum India,		
7	A.	India, Gypsum -St Gobain Gypsum		
,	Aluminium sections			
		Hindalco, Jindal, Indal		
8	Vitrified Floor tiles			
		RAK, Johnson, Kajaria, Nitco		
9		Tagaria, Micco		
J	Block boards / Plywood/Flush doors	Green Div. Co. 1		
	3515	Green Ply, Century Plywood, Duro Ply, Archid (BWR Grade) (No alternate brands for the Plymond)		
10				
10	HDHMR Boards	manaracturer allowed)		
		Green, Action-Tesa		
11	Laminates			
		Greenlam, Aica, Century, Merino		
12	Cynth ati a F	, something		
12	Synthetic Enamel Paints, Distemper or	Asian Paints Porgan D		
	riddic Fairt best quality of make ac	Asian Paints, Berger Paints , ICI (Dulux), Nerolac		
	approved			
13	Venetian blinds/ Verticals			
		Vista, MAC, Marvel		
14	Glazing			
_		M/s. Modiguard, M/s Asahi india, M/s Saint Gobain.		
.5	Glue Adhesive			
_		Fevicole, Century		
6	Screw			
		Excel, GKW		
7	POP bag or readymade work	S S S S S S S S S S S S S S S S S S S		
	,	Diamond (Super fine quality), Sarkarni		
3	Glass Film	Headic state		
APPROXIMATE AND APPROXIMATE AN	405	Alkor, Garware, 3M		
)	Cement Board	Agra Agra		
1	coment board	E board, Bison,		
	Vitrified floor III			
	Vitrified floor tiles adhesive / Grout	Bal Endura Dr. Elvit E		
		Bal Endura, Dr. Fixit Fevimate XL with Polymer modified		
	Upholstery	Mortar, ROFF Granite tile adhesive Raymonds		
Description		raymonus		
9	Sanitary Fixtures / Plumbing fittings			
	ACD De la constant de	Cera, Hindware, Parryware, Jaquar		
1	ALP Panels / Chaste			
1	ACP Panels/ Sheets Door/ Drawer/ cabinet handles/locks	Alubond, ALU Décor, Alstrong, Alstone		











