

PREMISES DEPARTMENT ZONAL OFFICE MIDNAPORE

INVITATION OF QUOTATION FOR INTERIOR FURNISHING, ELECTRICAL & DATA CABLING WORKS FOR ALTERNATE PREMISES OF INDIAN BANK CHIRANJIBPUR BRANCH, DISTRICT – EAST MIDNAPORE

Ref N	lo
-------	----

: ZOMID/PRM/2024-25/B562/

Date

: 04.11.2025

Issued to:	
M/S	
ADDRESS	:
CONTACT	
E-MAIL	:

of QUOTATION	25.11.2025 up to 15:00 HRS at Indian Bank, Zonal Office, Premises Department, Near Old Water Tank, Station Road, Midnapore-721101
	25.11.2025 at 16:30 HRS Indian Bank, Zonal Office, Premises Department, Near Old Water Tank, Station Road, Midnapore-721101

Architectural CONSULTANT:

AXIS DD185, 1ST FLOOR,STREET NO 295. ACTION AREA-I, NEW TOWN **KOLKATA-700156** Arch.axis2011@gmail.com

Mob: 9932614905/9831932317





INDEX

DESCRIPTION	PAGE NOS.
NOTICE INVITING QUOTATION	3-4
FORM OF QUOTATION	5
GENERAL INFORTMATION OF THE FIRM (ANNEXURE-I)	6 – 7
GENERAL RULES AND INSTRUCTIONS (ANNEXURE-II)	8-13
ARTICLES OF AGREEMENT	14-16
APPROVED LIST OF MATERIALS	17-18
SCHEDULE OF QUANTITIES (PRICE BID)	19-31
DRAWINGS	32





INDIAN BANK ZONAL OFFICE - MIDNAPORE

NOTICE INVITING QUOTATION

Indian Bank, Zonal Office Midnapore invites competitive sealed quotations in the prescribed format on item rate basis from experienced contractors empaneled in Interior Furnishing & Electrical Work with Indian Bank or in at least two Public Sector Banks for proposed Interior Furnishing, Electrical Works and Data Cabling Works for alternate Premises of CHIRANJIBPUR Branch, situated at VILL-CHIRANJIBPUR, PO: HALDIA, PS- HALDIA, EAST MIDNAPORE, 721604.

The quotation documents may be downloaded from the Banks web site (www.indianbank.in) under Tender Column or may be obtained from Premises & Expenditure Department, Zonal Office Midnapore, near old water tank, Station Road, Midnapore-721101, West Bengal, as per following schedule:

	Name of work	Interior Furnishing, Electrical Work & Data Cabling Work for Alternate Premises of CHIRANJIBPUR Branch situated at VILL- CHIRANJIBPUR, PO: HALDIA, PS- HALDIA, EAST MIDNAPORE, 721604.
2	Estimated cost of work	Rs.5.98 Lakhs
3	Period of completion	21 days to be reckoned from 5 TH day from the date of issue of the Work Order or handing over of site whichever is later
4	Validity of Quotation	90 Days from the date of opening
5	Defects Liability Period	12 Months from the date of virtual completion of work
6	Retention Money (RM)	10% of the Bill Amount excluding Taxes The Retention Money will be refunded after 15 days of expiry of defect liability period.
7	Payment terms	Payment will be made on satisfactory completion of the job on the basis of actual measurements. Income tax will be deducted as per the rules. Retention money of 10% will be deducted from the bill excluding taxes and to be released after 15 days of expiry of defect liability period (12 months from the date of virtual completion) provided no defects is observed during this period.
8	Documents to be attached with the Bill	Managers Completion Certificate, Bills & Photographs showing completion status of work
9	Liquidated Damages	1% per week of the Contract Value subject to maximum total of 10% of final Contract value
10	Eligibility	 The firm must be empaneled with Indian Bank or in at least two Public Sector Banks for both Interior, Furnishing & Electrical Works (Firms empaneled only for Interior Furnishing or only Electrical Work are not eligible) Empanelment letter must be enclosed Should have minimum 5 years' experience in similar type of works (Proof to be attached)
11	Quotation Documents	Quotation documents can be downloaded from the Bank's website (www.indianbank.in) under Tender Column or can be obtained from Indian Bank, Zonal Office, Premises

ZO Midnapore

		Department, Near Old Water Tank, Station Road, Midnapore-721101 from 10.11.2025 to 17.11.2025 till 13:00 HRS on all working days during office hours.
12	Last date of submission of Quotation	25.11.2025 up to 15:00 HRS at Indian Bank, Zonal Office, Premises Department, Near Old Water Tank, Station Road, Midnapore-721101
13	Date of opening Quotation	25.11.2025 at 16:30 HRS at Indian Bank, Zonal Office, Premises Department, Near Old Water Tank, Station Road, Midnapore-721101
14	Terms and conditions	As per Annexure-II

Note:

Date : 04.11.2025

Place: Midnapore

- The Bank will not be bound to accept the lowest quotation and reserves the right to accept or reject any or all the quotations without assigning any reason whatsoever. Late / delayed quotation shall not be accepted after due date and time of submission of quotation.
- The rates quoted by the firm shall be based only on the specifications and conditions of the Schedule 2. of Quantities (SOQ)
- Bank is not liable to make any payment to the firm for preparation to submit the quotation.

The duly filled in offer completed in all respect in sealed cover marked and super scribing "Interior Furnishing, Electrical and Data Cabling Work for alternate Premises of CHIRANJIBPUR Branch" on top and name, address, contact no. & e-mail id of the vendor/contractor at bottom left corner should be addressed to

The Zonal Manager Indian Bank, Zonal Office: Midnapore, Near Old Water Tank, Station Road Midnapore-721101 Dist- Paschim Midnapore, West Bengal

> India अं.का मिदनापुर ZO Midnapore

MANAGER)



FORM OF QUOTATION

Indian Bank
Zonal Office MIDNAPORE
Premises Department
Near Old Water Tank, Station Road
MIDNAPORE – 721101

Dear Sir,

SUB: Invitation of Quotation for Interior, Furnishing, Electrical and Data Cabling Work for Alternate Premises of BAKRA Branch situated at VILL- CHIRANJIBPUR P O: HALDIA, PS- HALDIA, EAST MIDNAPORE-721604

Having examined the drawings, specifications, conditions and schedule of quantities prepared by you, and satisfying ourselves as to the location of the site and working conditions, I/We hereby offer to execute the above works at the respective rates which I/We have quoted for the items in the Schedule of Quantities.

I/We further agree to complete the work within the stipulated time as specified in the Quotation document.

I/We understand that Indian Bank is not bound to accept the lowest quotation and reserves the right to accept or reject any or all the quotation without assigning any reason whatsoever.

I/We understand that Indian bank may award the work to more than one contractor and I/We shall make no claims whatsoever if Indian bank accept only a part of my/ our quotation.

I/We unconditionally agree to Indian bank's conditions as stipulated in the quotation documents.

I/We agree to keep our quotation open for 90 (Ninety) days from the date of opening of quotation.

I/We agree that incase of my/our failure to execute the work in accordance with the specifications and instructions received from Bank during the course of the work, Bank reserves the right to terminate my work order and recover all the dues to the Bank from the payment receivable by me. Further, I/We may also be barred from participating in any type of bid invited by Bank or its subsidiaries in future.

I/We further agree to complete the work within the stipulated time specified in the Appendix to General Conditions of Contract.

I/We enclose the completed quotation document, Price Bid, Annexure-I & Annexure-II duly filled in and signed in each page.

Thanking you,

Yours faithfully,

[To be signed by the Authorized Representative of Contractor who has the Power to do so]

Place:

Date:



Name: Address: Seal:



ANNEXURE - I

GENERAL INFORMATION OF THE FIRM

1	Name of Firm	
2	Head Office Address	
-		
	Address on which Correspondence should be done.	
3	Address on which Correspondence should be done.	
	-	
	m I V	
	Tel. No.	
	Mobile no.	
	E-mail address	
4	Place of incorporation / registration	
5	Constitution of Firm	
i)	Specify, if the firm is	
	a) An individual	
	b) A proprietary firm	
	c) A firm in partnership	
	d) A Limited Company or	
	Corporation	
ii)	Attach a copy of Proprietorship or Partnership Deed or Article of	
	Association or	
	Incorporation of Company as the case	
	may be	
	Give particulars of empanelment with Public Sector Banks	
6	Give particulars of empanement were	
	27	
7	Give particulars of Work Experience of minimum 5 years	
	of similar type of work	
	or onlines and pro-	
9.	Other details:	
-	a) PAN No.	
	b) GST Registration No. (Copies to	
	been closed)	
10		
	included above	
2,102	I mile of Directors and officers with	
11	Names and Titles of Directors and officers with designation to be concerned with this work with	
	Designation of individuals authorized to act for the	
41	organization Was the applicant ever required to suspend works for a	
12	period of more than six months continuously after	
	commencement of works? If so, give the name of the	5 India
	project and give	h Indian
	Reasons thereof.	का मिटनापुर
	included in the control of the contr	Midnapore A Page

13.	Has the applicant/firm or any constituent partner in case of partnership firm, ever abandoned the awarded work before its completion? If so, give the name of the project	
14.	and give reasons thereof. Has the applicant/firm or any constituent partner in case of partnership firm, ever been debarred/ black listed for tendering in any organization at any time? If so, give details	
15.	Has the applicant/firm or any constituent partner in case of partnership firm, ever been convicted by a court of law? If So, give details	

Note: Only self-attested copies to be furnished.

Date:

Signature & seal of the applicant

Place:





Annexure-II GENERAL TERMS AND CONDITIONS

1 Definition of terms / interpretation:

- Employer/Owner/Bank /Indian Bank/ Accepting Authority shall mean Indian Bank with their Corporate Office at No. 254-260, Avvai ShanmugamSalai, Royapettah, Chennai - 600 014 interalia having their Zonal Office at Near Old Water Tank, Station Road MIDNAPORE - 721101 and any of its employee's representative authorized on theirbehalf.
- Throughout these submission of quotation documents, the terms "bid", "quotation" and their derivatives ("bidder"/"quotation offered/firm/contractor"), "bided / quotation submitted / "bidding"/"quotationing", etc. are Synonymous.
- Day means calendar day. Singular also means plural
- "Contractor" means the person whose Quotation has been accepted by the Employer and the legal successors in title to such person, but not (except with the consent of the Employer) any assignee of such person.
- Quotation offerer The term 'Quotation offerer' shall mean the individual or firm or company whether incorporated or not, undertaking the work and shall include legal representative(s) of such individuals or persons composing such firm or company or successors of such firm or company as the case may be and permitted assigns of such individual or firm or company.
- Quotations which should always be placed in sealed cover, with the name of the work written on the envelope "Interior, Furnishing, Electrical, and Data Cabling Works for alternate Premises of BAKRA Branch situated at VILL- CHIRANJIBPUR P O: HALDIA, PS- HALDIA, EAST MIDNAPORE-721604." will be received by Manager/Senior Manager (P&E), Indian Bank, Zonal Office, Premises Department, MIDNAPORE.
- The Indian Bank does not bind itself to accept the lowest or any quotation and reserves to itself the right of accepting the whole or any part of the QUOTATION and the Quotation offerer shall be bound to perform the same at the rate quoted.
- The rate quoted by the Quotation offerer shall be net (excluding GST), up to the stage of incorporation and handing over site. All taxes including (excluding GST) or any other tax on material or on finished works like Turn-over Tax, including taxes that may be newly introduced subsequent to the quotation etc. in respect of this contract shall be payable by the Firm and the Indian Bank will not entertain any claim whatsoever in this respect.

The proper GST breakup needs to be provided along with the Rate.

The Quotation offerer who wishes to quote for the above job should have GST registration and should mention the registration number. The firm shall give a list of his relatives working with the Indian Bank along with their designations and addresses, if any.

- 4. No employee of the Indian Bank is allowed to work as a contractor for a period of two years of his retirement from Indian Bank service, without the previous permission of the Indian Bank. The contract is liable to be cancelled if either the contractor or any of his employees is found at any time to be such a person who had not obtained the permission of the Indian Bank as aforesaid before submission of the quotation or engagement in the Quotation offerer's service.
- The quotation for works shall remain open for acceptance for a period of 90 days from the date of opening of quotation.

The Contractor shall sign each page of the quotation and quote their price in the Schedule of अं.का मिबनापर



Quantities without any omission.

- 7. The retention amount at 10% on the value of the bill paid will be held by the Indian Bank. The Retention Money(10%) will be released after 15 days of expiry of Defect Liability Period (12 Months from the date of completion of work), subject to satisfactory rectification of defects noticed, if any. Retention Amount held in our Bank's Book will not carry any interest.
- 8. The acceptance of a quotation will rest with the Indian Bank and the Indian Bank reserves to itself the authority to reject any or all of the Quotations received without the assignment of a reason. Quotations in which any of the prescribed conditions are not fulfilled (or) are incomplete in any respect are liable to be rejected. The Indian Bank reserves the right to accept the quotation in full or in part and the firm shall have no claim for revision of rates or other conditions if his quotation is accepted in parts.
- Canvassing in connection with quotations is strictly prohibited and the Quotations submitted by the contractors/firms who resort to canvassing will be liable to rejection.
- 10. All rates shall be quoted on the proper form of the quotation alone. All the entries to be made legibly in ink only. Rates written in pencil or any other mode shall not be considered for evaluation and will be rejected.
- 11. An item rate quotation containing percentage below / above will be summarily rejected. However, where a contractor/firm voluntarily offers a rebate for payment along with sealed quotation, the same may be considered.
- 12. On acceptance of the work order the name of the accredited representative(s) of the Quotation offerer who would be responsible for taking instructions from the Indian Bank shall be communicated to the Indian Bank
- 13. Special care should be taken to write the rates in figures as well as in words and the amounts in figures only, in such a way that interpolation is not possible. The total amount should be written both in words and in figures.
- 14. The Contractor shall comply with and give all notices required under any law, rules, regulations, or bye-law of Parliament, State Legislature or Local Authority relating to works. If needed, the Contractor has to obtain required permission/ approval from the building secretary/ association. The Contractor shall before be commencing the execution of work issue a certificate to the Employer that he has obtained all the permissions Registrations and give all the notices as are required to be obtained or given under law particularly blasting permission, Police permission etc.
- 15. The Contractor shall be required to maintain the site and the building areas in a neat and clean condition at all times to the satisfaction of the Employer. The Contractor shall especially take care to keep areas free from getting water logged, from concrete/mortar dippings, bricks, steel, shuttering materials or any other material / rubbish.
- 16. Debris and items removed from the building have to be neatly stacked at site and then periodically removed (maximum of one week), carried away by the Contractor and disposed off as per the rules and regulations of the Local Authorities concerned. No debris shall be thrown loose from upper floors. No floor, roof or other part of the building shall be over-loaded with debris or materials as to render it unsafe.
- 17. Employer reserves the right to insist on selection of material, workmanship, detailing and finishes, which they consider, is appropriate, and suitable for the intended use. The contractor is not eligible to claim extra on this account.
- 18. Employer will require the contractor to produce, samples of all the materials, accessories/ finishes prior to procurement/ manufacture. The samples of the materials for the work shall be got approved from the Employer. Failure to comply with these instructions can result in rejection of the work/materials.
- 19. For painting & tamination, sample area shall be prepared and the shade got approved. It is also advised to give computer presentation of various colour schemes to the employer before going for



sample painting/Lamination

- 20. The Contractor should note that he should execute his part of work without causing any damage to any component of the building and also without disturbing the occupants. Any damage so caused shall be made good at the cost & risk of the Contractor.
- 21. The successful contractor shall include, in the quoted price, all allied civil works such as chasing in wall, drilling holes etc. to support the frames, partitions, make the surface good after grouting, scaffolding required if any to load/ unload the materials etc.
- 22. The successful contractor shall also be responsible for the safety and security of all their materials and also for ensuring fire prevention steps at all times in the working premises including their part of the work. The successful contractor has to place full time representative at site, the representative should have thorough subject knowledge.
- 23. The work shall be carried out without disturbing the existing occupants of other offices. Necessary barricading of the area, if required from the rest of the area shall have to be arranged by the successful contractor at no extra cost. The work is to be organized and executed so as to have least disturbance to the occupants of other offices.
- 24. Interim payment / Adhoc Payment is at Banks' discretion.
- 25. The contractor should ensure payment of minimum wages + VDA to all labourers / workmen staff employed by him in line with central/ state labour wage act whichever higher.

The Contractor shall at all times indemnify and keep indemnified the Employer against all losses, claims, damages or compensation including under the provisions of the payment of the Wages Act 1936, Minimum Wages Act 1948, Employer's Liability Act 1938, Workman's Compensation Act 1923, the Maternity Benefit Act 1961, the Bombay Shops and Establishments Act 1947, Industrial Disputes Act 1947, and Contract Labour (Regulation and Abolition) Act 1970 and Employees State Insurance Act 1948, Motor Vehicles Act 1988 or any modifications thereof or under any other law relating thereto and rules made thereunder from time to time or as a consequence of any accident or injury to any workman or other person in or about the work whether in the employment of the Employer or Contractor or not, and also against all costs, charges and expenses of any suit, action or proceedings whatsoever out of such accident or injury or combination of any such claims.

26. From commencement to completion of works, the Contractor shall take full responsibility for the care of the work and for taking precautions to prevent loss or damage to the work to the maximum extent possible and shall be liable for any damage or loss that may arise to the works or any part thereof from any cause whatsoever including causes of fire, lightning, explosion, earthquake, storm, hurricane, floods, inundation, subsidence, landslides, rock slides, riots (excluding civil war, rebellion, revolution and insurrection) or any latent defect or damage and shall at his own cost repair and make good the same so that at all times the work shall be in good order and condition and in conformity in every respect with the requirements of the Contract.

For the purpose of this condition this expression "from commencement to completion of works" shall mean the period starting with the date of issue of Work Order or date of handing over of site whichever is later and ending with issue of Virtual Completion Certificate.

Without limiting the obligations and responsibilities under this condition, the Contractor shall insure and keep insured the works from commencement to completion, as aforesaid, for the full contract value including Price Variation Adjustment if any against the risk of loss or damage from any cause whatsoever including the causes enumerated in the foregoing paragraphs. In the event of there being a variation in the nature and extent of the works, the Contractor shall from time to time increase or decrease the value of the insurance correspondingly. All the premium for the insurance shall be borne and paid by the Contractor.

Before commencing the work, the Contractor shall without limiting his obligations and responsibilities under this condition, insure against any loss of life or injury to any personnel in the employment of Contractor / Sub-Contractor/nominated Sub-Contractor. For this purpose, insurance shall be taken by the Contractor /Sub-Contractor. Such insurance shall be taken to include both employees/workmen covered by the Workman's Compensation Act 1923, as well those



employees/workmen not covered by the said Act. Separate insurance policies may be taken for employees/ workmen covered by Workman's Compensation Act 1923, and employees / workmen not covered by the said Act. All the premium shall be paid by the Contractor. Policy/Policies taken under this para for the personnel in employment with the Contractor / Sub-Contractor may be in their Employer's names of the Contractor / Sub-Contractor / nominated Sub-Contractors. In the event of any loss or injury to personnel in employment with the Contractor / Sub-Contractor / nominated Sub-Contractors, the Employer and Contractor shall recover directly from the Insurance Company and ensure that payment of the same is made to the affected parties including the Employer. The policy in original shall be deposited with the Employer.

The Contractor shall at all times indemnify and keep indemnified the Employer against all losses and claims for injuries or damage to any person or any property whatsoever which may arise out of or in consequence of the construction and maintenance of the work and against all claims, demands, proceedings, damages, costs, charges and expenses whatsoever in respect of or in relation thereto. Before commencing the execution of the works, the Contractor shall without in any way limiting his obligations and liabilities under this condition, insure at his cost and expense against any damage or loss or injury which may be caused to any person or property including the employees and directors of the Employer and their property by or in the course of the execution of the works.

- 27. The Contractor shall take all precautionary measures to ensure the safety of the workmen employed by it. The contractor shall be fully responsible for the any injury or damage caused to the workmen deployed by him at site for carrying out the work and Bank has nothing to do with such happenings and in no way shall be held responsible for the same.
- 28. The contractor shall maintain all registers as required by the Regional Labour Commissioner and should furnish the same to the Bank or its representative as and when required.
- 29. If the work is not started within 7 days from the date of issue of work order then Employer may terminate the work order without assigning any reason. If during the execution of the work, the progress of work is not considered to be satisfactory and is not consistence to be in contingent with the period of the completion of the work then the Bank may terminate the work order by giving a 5 days notice to the contractor. In such case the contractor shall be liable to pay the employer any extra cost involved for the completion of the said work and will not obstruct any way in completing the work through other agency. After completion of entire work the contractor shall be paid for the actual work executed by him at the quoted rates after deducting any claims, damages.
- 30. The time allowed for completing the works is 21 days to be reckoned from 5th day from the date of Work Order / date of handing over site whichever is later.
- 31. If the Contractor fails to complete any or all the works by the date/s named in Clause 32(Date of Completion) or within any extended time (permitted by Bank) then the Contractor shall pay or allow the Employer the sum to be worked out at 1.0% of contract value per week to be recovered as Liquidated Damages (and not by way of penalty) for the delay, beyond the said date or extended time, as the case may be, during which the works shall remain unfinished and such damages may be deducted from any moneys due or which may become due to the Contractor. The maximum amount of Liquidated damages shall be 10% of contract value. The contractor shall be bound to extend validity of Insurance Cover till such period of completion as may be considered necessary at their cost.
- 32. Extension of time: If in the opinion of the Employer/ Architects the works be delayed (a) by reason of any exceptionally inclement weather or (b) by reason of instructions from the employer in consequence of proceedings taken or threatened by or disputes, with adjoining or neighboring owners or (c) by the works, or delay of other contractors nominated by the employer and not referred to in the specification or (d) by the reason of authorized extra and additions or (e) by reason or any combination or works men or strikes or lock-out affecting any of the building trade or (f) from other causes which the employer may consider are beyond the control of the contractor, the employer at the completion of the time allowed for the contract shall make fair and reasonable extension of time for completion in respect therefore. In the event of the employer failing to give possession of the site upon the day specified above, the time of completion shall be extended suitably.

अं.का मिदनापुर

ZO Midnapore



In case of such strikes or lockouts as are referred to above, the contractor shall, immediately give the employer, written notice thereof. Nevertheless he shall use his best endeavors to prevent delay, and shall do all that may be reasonably required, to the satisfaction of the employer for any extension of time for completion hereunder (which shall be final and binding on the contractor) shall be promulgated at the conclusion of such strike or lock-out and the employer shall then, in the event of an extension being, granted, determine, and declare the final completion date.

- 33. The successful contractor shall be required to execute an Agreement in the proforma attached with this quotation document within 7 days from the date of receipt of the notice of acceptance of quotation. In the event of failure on the part of the successful contractor to sign the agreement within the above stipulated period the acceptance of the quotation shall be considered as cancelled.
- 34. The final bill will be released on satisfactory completion of the entire work and on completion of all the terms and conditions / obligations spelt out and on proper submission of the bill together with the measurements. Final Bill settlement is within 30 days from the date of proper submission of bill &measurements.
- 35. The Quotation offerer shall separately specify at the end of the QUOTATION the percentage(%) and value of SGST and CGST/IGST as applicable. As on date 9 % CGST and 9% SGST/18% IGST IS APPLICABLE FOR WORKS CONTRACT. Regarding tax part, the tax rate at the time of billing shall rule over and above all documentations. Valid documents shall be produced if asked for at the time before payment. TDS for income tax is as applicable and shall be included in the quoted rates. The comparison for the least bidder shall be made with the basic price of items of work excluding "Goods and Service Tax" part.
- 36. At any stage i.e. during the execution of work, any kind of change required, whether it is in design or specification, the contractor must inform the concerned Department of the Bank or Architect and after getting the approval, the same has to be incorporated by the contractor.
- 37. Single Power point & Water for work will be provide by bank at free of cost.
- 38. The contractor shall not directly or indirectly sublet the work to other party without written permission of the bank.
- 39. The Bank reserves the right to distribute the work for which quotations have been called, among more than one parties, if found necessary. No claim in this respect shall be considered and the contractor agrees to cooperate with other agencies appointed by the Bank.
- 40. Bank shall not be responsible for any loss or damage to the contractor/ labour due to any natural calamity during the course of construction. Contractor is liable to make good all the damages if any, till the work is completed and handed over to the Bank authorities
- 41. No advance payment shall be made to the contractor on supply of any material supplied at site for execution; Payment shall be made only after completion of the work, submission of proper bills and measurement and checking at the site by Architect and Bank' Engineer.
- 42. Contractor agencies are advised (before quoting the rates) to inspect the site of the proposed work. They must go through specifications and documents. Any clarification, if required, may be taken from the Bank/Bank's consultant before submitting the quote.
- 43. The quantities mentioned in schedule are provisional and likely to increase /decrease to any extent or maybe omitted thus altering the aggregate value of the contract. No claim for loss of profit/business shall be entertained on this account.
- 44. The rates quoted by the Contractor shall be firm throughout the work period (including extension of time, if granted) and will not be subject to any fluctuation due to variation in the cost of material or
- 45. The contractor /vendor failed to carry out the works as per schedule/Quality, the same shall be carryout with different agencies and the actual amount will be deducted from the contractor bills.
- 46. Payment to the contractor shall be made as per actual work done at site.

अं.का मिदनापुर

- 47. The contractor agency shall keep particular vigil on his workers to maintain very good workmanship of all items, failing which no payment shall be made and no claim of material/labour used shall be made to him in any case, and the same work shall be executed by him again without charging any extra cost.
- 48. The Bank reserves the right to accept/reject any quotes without assigning any reasons thereof.
- 49. Any work got executed in poor workmanship as pointed out by the Bank'Official will have to be



dismantled and re done by the Contractor on his own cost.

- 50. Any addition, alteration or correction in the quote shall be signed and stamped properly by the contractor
- 51. Contractor has to submit the Earthing Report Test and other Electrical Audit report certificate of the branch along with the final Electrical Circuit Diagram during the submission of final bill, to be issued by an Electrical Engineer having valid Electrical license of WBSEB / CESC /or any Govt. authority, without any extra charge. Without submission of these reports no payment will be made.
- 52. Contractor has to submit detail analysis of rates of all the items to justify their quoted rate without submission of the analysis tender will be cancelled

DECLARATION:

I / We hereby declare that I / We read and understood the above terms and conditions and that I/we shall abide by them if the work is awarded to us.

Signature & Seal of the Contractor

Date:





ARTICLES OF AGREEMENT

THIS AGREEMENT is made having its Zonal Office at Ne referred to as the "Employer")	ear Old Water Tank,	Station Road	MIDNAPO	RE - /21	TOT (Herei	Harter
the one part. AND M/s			having	its	office	at
			in aludo ito (CUCCASSOR	legal heir	herein
after referred to as the "Co	ntractor") which expr	ession shall	include its :	successor,	logar rion	3
whereas the Employer h Electrical, and Data Cabling DUBDA, BLOCK: EGRA II,	PS- EGRA, BHELU N	ORE, DUBDA	A, PURBA M	IEDINIPUF	₹"	
AND whereas the Employe	er has called for q	uotation vide	ref. no			
AND whereas the contractor	has submitted the q	uotation ref.	no			. dated
AND whereas the Emplo	oyer has issued t	he work or	der ref	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
AND whereas the Contracto	o the contractor to do r has agreed to execu	the work. te the work a	s per drawin	gs, specifi	cations, co	nditions
of contract and Work Order. AND whereas the Employed QUOTATION submitted by the payable in terms of the Bill Agreement".	he contractor has been of Quantities and which	en accepted for the sum is esti	or such sum mated to be	Rs	((Rupees

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:-

- 1) In consideration of the said Contract Sum to be paid at the times and in the manner set forth in the said Conditions the Contractor shall carry out and complete the Works in terms and conditions herein contained and according to the general conditions of the contract, notice inviting QUOTATION, special conditions of contract, general scope of work, technical specifications, schedule of rates and instructions to be given by and the supervision of and to the entire satisfaction of the Employer.
- 2) Contract Price, Taxes and Payment Terms:

Allahar

Total contract price is Rs. which is inclusive of cost of materials, equipment, Indicate price is its.

Above price is installation charges and tools and tackles required for execution of the job. Above price is inclusive of all taxes & duties including excise duty, GST, income tax, octroi etc. in respect of this ZO Midna Contract. No claim in this respect will be entertained. Income tax on payments will be deducted



and deposited by Employer in accordance with the sales tax law of the state and the provisions of tax deductions at source under income tax act 1961.

3) Completion Period:

Time is the essence of the Contract. The work is to be completed in all respects within 21 days reckoned from 5th day from the date of issue of the Work Order or handing over of site whichever is later. If the Contractor fails to complete the job within the agreed time period the Contractor will have to bear liquidated damages as per the relevant clause mentioned in the QUOTATION Documents.

Inspection of Site: 2)

The Contractor has inspected the site before submitting his quotation and has satisfied himself as to the nature of the work to be executed on the site. Any difficulties which the Contractor may come across in the course of the work shall in no way relieve the contractor to claim or receive extra payment unless the Employer is of the opinion that such difficulties could not have been foreseen and the Employer consents in writing.

Supply of Material and Labour: 3)

The Contractor shall arrange all labour, materials, equipment's, tools, tackles and everything necessary for the completion of the work. The Contractor will assume all responsibility for the safety, protection and accounting of all material and equipment and the work during construction. All materials used by the Contractor shall be of the best quality conforming to the required specification mentioned in the QUOTATION document and will be subject to the approval of the Employer. All such materials not approved by the Employer shall be removed at once by the Contractor at his own expense. The Contractor shall also at his own expense arrange for carrying out any test of materials which the Employer may from time to time require or if so desired by the employer.

Defective Work / Materials: 4)

If any part of the work done by the Contractor is found defective in workmanship or if bad or inferior materials have been used the Contractor shall at his own risk and cost demolish all such defective work and rebuild the same and / or replace the bad or inferior materials used within a time frame mentioned to the satisfaction of the Employer. The decision of the Employer in this regard shall be final and binding on the Contractor. In case of default of the contractor to remove the defective work and rebuild the same or replace bad or inferior materials as directed by the Employer, the Employer shall be entitled to employ anyone else to carry out the same at risk and cost of the Contractor and recover all expenses incurred in this regard from the contractor.

Inspection of Work: 5)

During progress of the work the Employer shall be entitled at all times to have access to and inspect the work.

Supervision: 6)

ZO Midnapore)

The Contractor shall provide one or more competent and technical qualified engineers duly and fully authorized to act on his behalf in all matters relating to the works to be carried out under or any other matter concerning this agreement and who shall at all times be present at the works while any work is in progress as per directions, explanations & instructions of Employer.

Compliance with Statutory Regulations & Work Rules: 7)

The Contractor shall be responsible for complying with the applicable laws / bye laws / Regulations in force from time to time and shall have to bear all statuary liabilities to the workers / Regulations in force from time to time and shall have been specified by personnel engaged for the job. Nothing will be paid extra in this regard. If any amount is paid by अ.का मिदनापुर मिं Employer with this regard the same amount shall be deducted from the Contractor's dues.



The Contractor shall have to arrange insurance cover for the workers / personnel engaged by him for the job.

8) Determination of Contract:

In the event of Contractor failing to keep / adhere to agreed schedule of work, or in the event of the Contractor failing to comply with the provisions of this contract by default and / or negligence and / or suspension of work or in the event of Contractor failing to complete the work within the stipulated period, the Employer may terminate this Agreement forthwith and employ, at the Contractor's risk and cost, another contractor or sufficient number of workmen to complete the work.

9) Force Majeure:

This clause will be operative only if the work is delayed by

- a) Acts of God
- b) Earthquake or floods or similar natural calamities.
- c) Serious loss or damage by fire or lightning.

In case any Force Majeure condition herein mentioned occurs and continues for a period exceeding 15 days the parties hereto undertake to sit together and devise ways for expeditious and proper performance of the obligations of the parties under this order.

10) Arbitration:

"In the event of any dispute or difference relating to interpretation and application of provisions of the contract and all disputes/ claims whatsoever which shall either during the continuance of the contract or afterwards either between the parties to the contract or the respective representatives touching the construction/ application of any provision/ clause mentioned in the contract or any account or liability between the parties to the contract or as to any act or deed or omission of any party to the contract, in any way relating to these presents, shall be first at the discretion of the Bank attempted to be resolved in good faith by mutual discussion within 30 days of the dispute or question being raised failing which the same shall be settled by arbitration in accordance with provisions of Indian arbitration and Conciliation act 1996.

The Parties concerned shall designate an arbitrator on mutual consent/ consensus. The venue of the arbitration shall be exclusively at MIDNAPORE and any award passed by arbitrator shall be final, conclusive and binding upon the parties and shall be deemed to have been made between parties themselves. The parties to the dispute shall share equally the cost of arbitration as intimated by the arbitrator".

IN WITNESS whereof the said contracting parties have set their hands and seals on the day and year first hereinabove witness.

Witness Address

Employer

Witness Address

Contractor





LIST OF APPROVED MATERIALS FOR INTERIOR, FURNISHING WORK AT INDIAN BANK, DUBDA BRANCH

SL	ITEM	APPROVED MAKE/ MODEL			
O		INDIA GYPSUM CEILING, SAINT GOBAIN, LAFARGE			
	False Ceiling	GYPSTEEL, DIAMOND FRAME			
2	Later modiate Channel / Ceiling Section	2ND CLASS TEAK WOOD			
3	Wood Frame Work/ Wood Section All wood must be well	Zio CLASS TEAR WOOD			
	coasoned free from knots other detects, decay and				
	defects due to handling and transportation. Wherever				
	necessary provide with anti-termite Treatment.	WHITE BEACH / WHITE CEADER			
4	Wood Skirting / Moulding/ Lipping/ Bidding / Door	WITTE BERGIT / WITTE GETT			
	frame	GODREJ/DECOR X/SPACE WOOD/METHODEX			
5	Modular furniture	MARINO, GREEN			
6	Modular Toilet	INDUSTRIAL GRADE OF NOBLE / VIPER			
7	Fire Reterdent Paint	CENTURY/SHATABDI/ ARCHIDPLY/GREEN PLY			
8	Plywood/ Block board (BWR GRADE)	CENTURY/SHATABDI / ARCHIDPLY/GREEN PLY			
9	Flush Door	ADVANCE LAM/MERINO, GREEN LAM/CENTURY			
10	Laminate (1.0mm thk.)	GODREJ/ ARCHI (HEAVY DUTY)/DORMA			
11	Door Closure	GODREJ/ ARCHI (HEAVY DUTY)/DORMA			
12	Floor Spring:	GODREJ/ ARCHI (HEAVY DUTY)/DORMA			
13	Floor Spring:	GODREJ CYLINDRICAL / HAFELE / HETTICH / DORSET			
14	Door Lock/ Door Handles	NEKI / HASSLEY			
15	Drawer/ Storage Handle	EBCO / HAFEL / HETTICH DOOSET/GODREJ			
16	Drawer/ Storage Lock	GKW / NETTLE FOLD / APPROVED EQUIVALENT			
17	Screws	DORSET/GORG/EBCO			
18	Hinges	EARL BEHARI (EBCO) / CIEF/ HETTICH			
19	Sliding Drawer Channels	FEVICOL SH / FEVIMATE TL/ARALDITE			
20	Adhesive	JOLLY BOARD / APPROVED EQUIVALENT			
21	Soft board	MAC / ANNUMS / WINDOW FASHION/VISTA			
22	Vertical Blinds	HINDALCO/JINDAL/NELCO			
23	Aluminium Sections	MODIGUARD / SAINT GOBAIN			
24	Glass	EBCO / DORTEL			
25	Readymade Keyboard / CPU Trolley (metal)	ASIAN PAINTS (AS PER BANK APPROVED			
26	Paints (Enamel / Acrylic Emulsion)	COLOR)/BERGER			
	**************************************	MODIGUARD / SAINT GOBAIN			
27	Mirror	STP PENTAPHENE PALE / CHLORIPHYROPHOSH			
28	Wood Preservatives	CENTURY PLY/ SUNMICA/ FORMICA/ GREENLAM			
29	Laminates	AS PER SAMPLE APPROVED BY EMPLOYER			
30	All other items not covered above	AS FER SAMIT LE ALL ROVED DE BEN 2012			

- 1. Materials mentioned in the specification shall be used for the work. If specified material is not available prior approval of the Employer shall be taken to use other brands.
- 2. Preference of makes, supply of items should be consulted with client/consultant before effecting of supply.


NAME AND ADDRESS OF THE CONTRACTOR:

SIGN & SEAL OF THE CONTRACTOR:

Date:

Place:





LIST OF APPROVED MATERIALS FOR ELECTRICAL WORK AT INDIAN BANK, DUBDA BR

SL NO	ITEM	APPROVED MAKE		
1	MS pipe ISI mark. 16 SWG	BEC / NIC		
2	MS pipe ISI mark. 16 SWG	BEC / NIC		
3	M.S. fittings (Bend / Elbow / G.I Saddle / 3way circular box)	BEC / NIC		
4	PVC Copper Wires insulated HR-FR-LSH-LF (Heat Resistant Flame Resistant Retardant Low Smoke halogen- Lead Free – To be ROHS Compliant	FINOLEX / HAVELL'S/POLYCAB		
5	A.C. Starter	NORTH-WEST / CRABTREE/ MDS LEGRAND		
6	250 Volt 6/16 Amp. 3 pin modular type switch, socket	MDS LEGRAND / CRABTREE / ABB/ ANCHOR ROMA		
7	Capacitor	L&T / HAVELL'S		
8	Current Transformer	KAPPA / L&T/ SCHNEIDER (CG) A.E		
9	Changeover Switch	L&T / HPL / GEC / HAVELL'S		
10	Amps meter & Voltmeter 96x96 mm (Analog)	AE / L&T / ALSTOM / HPL / HAVELL'S		
11	Miniature Circuit Breaker & MCB Distribution Boards, RCBO	ABB / L&T(HAGER) / SCHNEIDER(CG)/SIEMENS/ HAVELL'S		
12	Armoured Cable	NICCO / FORT GLOSTER / HAVELL'S / CCI		
13	Telephone Socket RJ – 11	CRABTREE / ABB / MDS LEGRAND		
14	Telephone Cable (0.51mmsq) 10/20 pair	NATIONAL / DELTON / NETCO / FINOLEX / RETCO		
15	Lugs	DOWELLS		
16	Light Fittings/ Fixtures	HAVELLS / PHILIPS / CROMPTON		
17	Terminal Connector	HAVELLS		
18	Exhaust Fan	HAVELS / CROMPTON		
19	Wall mounted (Osyliating Type) / Pedestal Fan	HALVELS/ CROMPTON / KHAITAN/USHA		
20	SFU / SPN / TPN S.M. housing / Open execution front handle with housing	L&T / SIEMENS / HAVELL'S		
21	Telephone Connector	KORN TYPE		
22	Selector switch (Rotary type)	KAYCEE / A.E / L&T/ SIEMENS		
23	Rigid PVC conduit	B.E.C., KALINGA, AKG		
24	Clock switch/time switch	L&T		
25	Join box 6"x4" MS box heavy type	LOCAL MAKE		
26	Bearer Call Bell	ANCHOR/MAX/ROMA		
27	Brass Cable gland	ARUN(HEAVY TYPE) / DOWELLS		
28	LED Indicator (bright type)	MIKADOV / L&T / MDS		
29	MCCB	SIEMENS / L& T / HAVELL'S		
30	Metal Clad socket & plug having scraping earth arrangement	SIEMENS / L&T / SCHNEIDER		
31	All other items not covered above	AS PER SAMPLE APPROVED BY EMPLOYER		

Note -

1. Materials mentioned in the specification shall be used for the work. If specified material is not available prior approval of the Employer shall be taken to use other brands.

2. Preference of makes, supply of items should be consulted with client/consultant before effecting of supply.

NAME AND ADDRESS OF THE CONTRACTOR:

SIGN & SEAL OF THE CONTRACTOR:

Date:

	BUDGETARY ESTIMATION OF FURNISHING JOB FOR CHIRANJEEVPUR BRANCH OTY UNIT RATE AMOUNT					
Nd	DESCRIPTION	QTY	UNIT	KATE	AMOUNT	
	POP & FALSE CEILING WORKS					
	CAND DO LIDO					
	False Ceiling/ GYP BOARD Providing and fixing ½" thk. Gypsum India board false ceiling at levels as shown in the drg. From FFL. Rate shall be inclusive of Acrelic emulsion paint & all Gypsum India components contained G.I. perimeter channels of size 0.55 thick having one flange of 20mm and another flange of 30mm and a web of 27mm alongwith perimeter of ceiling, screw fixed to brickwall/partition with the help of nylon sleeves and screws, at 610mm centres. The suspending G.I.intermediate channels of size 45mm, 0.9mm thick with two flanges of 15mm each from the soffite at 1220mm centres with ceiling angle of width 25mm x 10mm x 0.55 thick fixed to soffite with G.I. cleat and steel expansion fastners at every 610mm c/c. Ceiling sections of 0.55mm thickness having knurled web of 51.5mm and two flanges of 26mm each with lips of 10.5mm are then fixed to intermediate channel with the help of connecting clip and in direction	540.00	Sq.ft			
	10.5mm are then fixed to intermediate channel at 457mm centres. 12.5mm tapered edge Gypboard perpendicular to the intermediate channel at 457mm centres. 12.5mm tapered edge Gypboard is then screw fixed to ceiling section with 25mm drywall screws driver or drilling machine with suitable attachment.					
b	ARMSTRONG Providing, fabricating and erecting lay in type tegular or drop type ARMSTRONG false ceiling of 600 mm x 600 mm grid with approved brand of armstrong. The rate shall include the additional cost of Tee and L supports and other accessories near the ends/ odd size additional cost of Tee and L supports are the selling to the false ceiling grid					
	additional cost of Tee and L supports and other decided additional length support from the ceiling to the false ceiling grid edges/corners. Provide additional length support from the ceiling to the false ceiling grid wherever necessary, making necessary openings for electrical light fittings, alarm detectors and any other fixtures. No extra payment for making openings in the panel/grids for the purpose of light fittings. Item rate shall include all the taxes, transportation, erection, loading and unloading and any other incidental expenditure for completing the work.	320.00	Sq.ft			
II	CARPENTRY AND INTERIOR WORKS					
11	CARLETT		-			
1	PARTITION WORKS					
i	SOLID PARTITIONS (upto 8'6"-9'0") SOLID PARTITION - LAMINATED: Providing and fixing of full height solid partition made of salwood framework of size 50mm x 50mm fixed @450mm c/c bothways and covered with (6mm thk) BWR Grade Marine ply of (Archid / Greenply or Century Ply make and finished with 1.0mm thk laminate of approved shade on both sides, 3" wide skirting to be shown in the laminate by way of the shown in the shown	n 130.0	0 Sq.ft			
ii	Imm wide groove. SOLID PARTITION - LAMINATED/PAINTED: Same as item 1.a -(i) above but partition framework to be covered with one side plywood of (9mm thk) BWR Grade Marine ply (Globe/Greenply or Century Ply finished with 1.0mm thick laminate on one side and other side with 3 coats of luster paint of approved shade. 3" wide plywood skirting finished with laminate to 1 provided on the side of partition. Wooden framework of size 50mm x 50mm fixed @450mm c	th	- Sq.fi			
	bothways	_				
b i	GLAZED PARTITIONS FULLY /SEMI GLAZED PARTITIONS: Providing & fixing of fully glazed partitions by using t wooden frame work and ply comprising of A) The glazed portion out of 10mm thk glass fixed w internal framing and beading as per design. B) (9mm thk) BWR Grade Marine ply (Globe/Greenply or Century Ply make) on both sides of frame + Laminate as per drawings. Glass asahi/saint gobin / modi gaurd make. Wooden framework of size 50mm x 50mm fixed @450mm.	of of c/c	00 Sq.1	ì		
ii	made with 12mm Toughen Glass with white paint design with necessary additional supports directed. Fitting should be with "patch fitting".	as 20	00 Sq.	ft		
ii	SEMI-GLAZED PARTITIONS: Providing & fixing of semi glazed partitions upto 7'-0" ht. the partitions is made by using the Wooden frame work and ply comprising of A) (9mm thk) BWR Grade Marine ply of (Globe/Greenply or Century Ply make)on both sides of partition as per drawings. Wooden framework of size 50mm x 50mm fixed @450mm c/c bothways. B)The glazed portion out of 10mm thk glass fixed with internal framing and beading as per design Glass of		- Sq.	ft		
i	OFFICE A ZED LOW HEIGHT PARTITIONS: Providing & fixing of semi glazed partitions upon	20).00 Sq	.fit		



	PROCEDITION	QTY	UNIT	RATE	AMOUNT
NO	DESCRIPTION				
	OW HEIGHT SEMI SOLID PARTITIONS				
		80.00	Sq.ft		
		00.00			
	300mm high fixed by way of wooden beedings. The glass edge @450mm c/c bothways at the corner. Wooden framework of size 50mm x 50mm fixed @450mm c/c bothways				
-					
-	PANELLING WORKS				
					_
	ONLY PANELLING WITHOUT FRAME: P/I paneling without user on leveled wall and plywood BWR Grade Marine ply of (Alishan/Greenply or Century Ply fixed on leveled wall and plywood BWR Grade Marine ply of (Alishan/Greenply or Century Ply fixed on leveled wall and plywood BWR Grade Marine ply of (Alishan/Greenply or Century Plymore).		Sq.ft		
- 1	finished with 1.00mm thk, laminate of approved make and shade, or as				
- 1	dataile and design				
	50mm x 50mm with 450mm c/c made				
	PANELLING: P/F paneling with wooden framework of size 500 but of salwood treated with antitermite solution. 9mm thick plywood BWR Grade Marine ply of out of salwood treated with antitermite solution. 9mm thick plywood BWR Grade Marine ply of out of salwood treated with antitermite solution. 9mm thick plywood BWR Grade Marine ply of out of salwood treated with antitermite solution. 9mm thick plywood BWR Grade Marine ply of out of salwood treated with antitermite solution. 9mm thick plywood BWR Grade Marine ply of out of salwood treated with antitermite solution. 9mm thick plywood BWR Grade Marine ply of out of salwood treated with antitermite solution. 9mm thick plywood BWR Grade Marine ply of out of salwood treated with antitermite solution. 9mm thick plywood BWR Grade Marine ply of out of salwood treated with antitermite solution. 9mm thick plywood BWR Grade Marine ply of out of salwood treated with antitermite solution. 9mm thick plywood BWR Grade Marine ply of out of salwood treated with antitermite solution. 9mm thick plywood BWR Grade Marine ply of out of salwood BWR Grade Marine ply of o				
ı V	out of salwood treated with antitermite solution. 9mm thick plywood but the solution of salwood by Solution and Solution of Solution and Solution an	1	Sq.ft		
	(Alishan/Greenply or Century Ply fixed on frame and finished with 1-sering and 1mm groove between vertical wide skirting with 1mm thk groove between skirting and partition and 1mm groove between vertical				
	laminates as per design.				
	iammates as per atasg				
	DOORS				
_	P/f main entrance single leaf glass door for BRANCH ENTRY with 12mm thick Toughened glass. P/f main entrance single leaf glass door for BRANCH ENTRY with 12mm thick Toughened glass.				
	P/f main entrance single leaf glass door for BRANCH. The beading to be polished matching the laminate shade. Rate to include cost of heavy duty floor. The beading to be polished matching the laminate shade. Rate to include cost of heavy duty floor. The beading to be polished matching the laminate shade. Rate to include cost of heavy duty floor.	1.00	Nos.		
	The beading to be polished matching the laminate shade. Rate Date 120 kg), SS handle of size spring (Everite / Hemco / Haldin / Hyper or equivalent of capacity 120 kg), SS handle of size spring (Everite / Hemco / Haldin / Hyper or led dood look door stopper and all required hardware	1.00		1	
	spring (Everite / Hemco / Haldin / Hyper or equivalent of capacity 120 kg/s 450mm, ball bearing hinges, mortise concealed dead lock, door stopper and all required hardware				
ii	Targe 11 Spring Prough Entrance Door & ATM fully glazed of overall size of 3 -0 A 7 -0 G				
	10thk toughened glass and vinyl film on it. Door to be fixed on floor spring.				
iii					
	Same as item no. 4(1) above but four stud trains that toughened glass embedded in it. gauge of approved shade and colour and 10mm thk toughened glass embedded in it.				
iv	gauge of approved shade and colour and 10mm the tougheled glass embedded. Same as item no. 4(i) above but size of the door shall be 825mm x 2100mm FRAMELESSS AND				
	TOUGHENED				
V	Glass Door - BM Cabin	1	S. S.		
	DIE Two side frame Cabin door fixed on floor spring tinished in laintilate from both sides with	2.00	Nos.		
vi	P/f Solid wicket gate door of size 900mm x 900mm made of 38mm thick flush door and mounted				
	on heavy duty hinges for teller counter area.				
IL S 3 3 a a s s s s s s s s s s s s s s s s	Solid doors (with or without vision panel)				
	TOPE Coming Area Store Pantry & Toilet Entrance Door	h			
	c 20 mm thickness in laminate finish on both sides with				
	Providing & fixing Solid Flush Door of 38min tilicenses in Solid Flush Door to be mounted on hinges and the Vision Panel of size 300mm x 300mm made of 6mm the glass Door to be mounted on hinges and the Vision Panel of size 300mm x 300mm made of 6mm the glass Door to be mounted on hinges and the Vision Panel of size 300mm x 300mm made of 6mm the glass Door to be mounted on hinges and the Vision Panel of size 300mm x 300mm made of 6mm the glass Door to be mounted on hinges and the Vision Panel of size 300mm x 300mm made of 6mm the glass Door to be mounted on hinges and the Vision Panel of size 300mm x 300mm made of 6mm the glass Door to be mounted on hinges and the Vision Panel of size 300mm x 300mm made of 6mm the glass Door to be mounted on hinges and the Vision Panel of size 300mm x 300mm made of 6mm the glass Door to be mounted on hinges and the Vision Panel of size 300mm x 300mm made of 6mm the glass Door to be mounted on hinges and the Vision Panel of size 300mm x 300mm made of 6mm the glass Door to be mounted on hinges and the Vision Panel of size 300mm x 300mm made of 6mm the glass Door to be mounted on hinges and the panel of size 300mm the glass Door to be considered by the size 300mm the glass Door to be considered by the size 300mm the glass Door to be considered by the size 300mm the glass Door to be considered by the size 300mm the glass Door to be considered by the size 300mm the glass Door to be considered by the size 300mm the glass Door to be considered by the size 300mm the glass Door to be considered by the size 300mm the glass Door to be considered by the size 300mm the glass Door to be considered by the size 300mm the glass Door to be size 300mm	d			
	Vision Panel of size 300mm x 300mm made of offilm this glass. Door to be considered be provided including Handles & necessary hardware fittings, the sizes of the doors to be considered by the size of the size of the doors to be considered by the size of the size o				
	as under: i. IT Room Door: 975mm x 2100mm		- Nos.		
	ii. Service Area door : 900mm x 2100m	m	- Nos.		
	iii. Store Room Door: 900mm x 2100m	m 1.0	00 Nos.		
	iv. Pantry Door: 825mm x 2100m	m	- Nos.		
	v. Toilet entry Door: 825mm x 2100m	m	- Nos.		
	v. Toilet entry Door: 825min x 2100m vi, CRM Entry Door: 975mm x 2100m	ım	- Nos.		
	vi. CRM Entry Door : 973mm x 2100m vii.Solid wicket ga	ate 1	00 Nos.		
_	vii. cash entry do	or: 2	00 Nos.		
_	VIII. cash entry do	2.			



		OTV	UNIT	RATE	AMOUNT
٠,٦	DESCRIPTION	QTY	UNII	KATE	
O					
	OOR FRAMES roviding and fixing including necessary civil work door frames made out of CP teak wood section roviding and fixing including necessary civil work door frames made out of CP teak wood section roviding and fixing including necessary civil work door frames made out of CP teak wood section roviding and fixing including necessary civil work door frames made out of CP teak wood section roviding and fixing including necessary civil work door frames made out of CP teak wood section roviding and fixing including necessary civil work door frames made out of CP teak wood section roviding and fixing including necessary civil work door frames made out of CP teak wood section roviding and fixing including necessary civil work door frames made out of CP teak wood section roviding and fixing including necessary civil work door frames made out of CP teak wood section roviding and fixing including necessary civil work door frames made out of CP teak wood section roviding and fixing including necessary civil work door frames made out of CP teak wood section roviding and fixing a part of the civil roviding and civil roviding	V			
F	roviding and fixing including necessary civil work door frames that applying black jaipan paint on f size 100mm x 75mm including providing 3 nos. Alishan hold fasts, applying black jaipan paint on f size 100mm x 75mm including providing 5 the until The frames to be finished with 1.0 mm thick				
C	f size 100mm x 75mm including providing 3 nos. Alishan hold tasts, applying extension fine surface of the frame touching the edge of the wall. The frames to be finished with 1.0 mm thick				
t	aminate of approved shade.				
_	The state of the s				
	. Toilet door frame: as per door size ii. Pantry door: as per door size mentioned in item no. 4(iv-iv) above iii. Pantry door: as per door size mentioned in item no. 4(iv-iv) above				
	ii. Pantry door: as per door size mentioned in item no. 4(1/4) above Providing and fixing architraves made out of rubber wood sections over door frames and finished	-	Nos.		
i	Providing and fixing architraves made out of rubber wood				-
	with approved shade of melamine polish.				-
5	STORAGE CABINETS				
i	Storage Full ht.				
_	1' 6" deep x 7' 0" ht. Carcass and shelves out of 3/4" and 1/4" thk. Marine ply of BWR Grade (Globe/Greenply or Century				
	Ph. malsa)				
-	a a Linear steppers 'Vijayan' locks S.S. handles				
	and a special core faced with approved laminate (1.0 min) on the exterior and		Sq.ft		
	Shutter (19 mm thk.) semi-solid core faced with applications and the semi-solid core faced with applications and semi-solid core faced with a semi-solid core faced w		Dq		
	back of shutter & Internal faces all filliance with				
11	Storage Half ht.				
11				+	
	Size - 1' 4" deep x 2' 6" ht. Carcass and shelves out of $3/4$ " and $1/4$ " thk Marine ply of BWR Grade (Globe/Greenply or Century				
	Carcass and shelves out of 374 and 174 different for				
	Ply make) Shutter (19 mm thk.) semi solid core faced with approved laminate (1.0 mm thk.) on the exterior and	i	11		V.
	Shutter (19 mm thk.) semi solid cole laced with approve				
	back of shutter and finished with enamel paint internally	30.00	Sq.ft		
	Hardware -S.S. hinges, stoppers, 'Vijayan' locks, S.S. handles				
6	COUNTERS AND DESKS (COUNTERS) Providing and Fixing COMPUTER COUNTERS made out of 19 mm thick bwp grad (COUNTERS) Providing and Fixing COMPUTER COUNTERS made out of 19 mm thick bwp grad (COUNTERS) Providing and Fixing COMPUTER COUNTERS made out of 19 mm thick bwp grad	e			
	(COUNTERS) Providing and Fixing COMPUTER COUNTERS made duty of the straighed drawing all complete	e			
	(COUNTERS) Providing and Fixing COMPUTER CONSTERS intact drawing, all complet board of approved brands as listed in the specifications, and as per the attached drawing, all complet board of approved brands as listed in the specifications, customer top, etc., and all drawers etc. to	0			
	board of approved brands as listed in the specifications, and as per in attached to the specifications and as per in attached to the specification and as per in attached to the s	s			
	with 1.0 mm thick laminate on all visible surface, tabletops, customer top, etc., and thick glass be painted with 1 coat of primer and 2 coats of 1st quality enamel paint). 12 mm thick glass be painted with 1 coat of primer and 2 coats of 1st quality enamel paint). 12 mm thick glass	IV		1	
	be painted with 1 coat of primer and 2 coats of 1st quarty enamer painty. It is a modern to be used on top of the COMPUTER COUNTER. Keyboard Trampolicular of Slides and wristness to be given. Drawer Slides to be used for	or			
	MODIGUARD / AIS, branded, to be used on top of the Colonian Drawer Slides to be used for to be provided on Special Keyboard Slides, and wristrest to be given. Drawer Slides to be used for to be provided on Special Keyboard Slides, and wristrest to be given. Drawer Slides to be used for the Drawer Slides of the Slides, and wristrest to be given.	st			
	to be provided on Special Keyboard Stides, and wristest to be given. But to be lockable. Footre all drawers. All locks to be of Godrej. All drawers, cabinets, Keyboard, etc. to be lockable. Footre all drawers and locks to be of Godrej. All drawers cabinets, Keyboard, etc. to be lockable.	nd l			
	all drawers. All locks to be of Godrej. All drawers, caomets, Reyound, etc. be provided. The Front of the Computer Counter shall have decorative finishing in ply are to be provided. The Front of the Computer Counter shall be provided in front to be provided.	nt.			
	to be provided. The Front of the Computer Counter shall have declared in fron laminate as shown in the drawing attached. 12mm thick glass as a screen shall be provided in fron laminate as shown in the drawing attached. 12mm thick glass as a screen shall be provided in fron laminate as shown in the drawing attached. 12mm thick glass to be inserted in polished teakwood.	n,			
	laminate as shown in the drawing attached. 12mm thick grass as a second with a 3" gap from the counter top. Height of Glass: 12". Glass to be inserted in polished teakwood with a 3" gap from the counter top.	Ju			
	members, size 2" x 2", appropriately finished				
	memocis, size 2 % 2 % PF			-	
	the design of the state of the				
	3" high skirting box with walnut wood skirting, melamine polish finished BM workstations in laminate finish with side storage and back storage (size of storage 7'-0" X 2'-BM workstations in laminate finish with side storage and back storage (size of storage 7'-0" X 2'-BM workstations in laminate finish with side storage and back storage (size of storage 7'-0" X 2'-BM workstations in laminate finish with side storage and back storage (size of storage 7'-0" X 2'-BM workstations in laminate finish with side storage and back storage (size of storage 7'-0" X 2'-BM workstations in laminate finish with side storage and back storage (size of storage 7'-0" X 2'-BM workstations in laminate finish with side storage and back storage (size of storage 7'-0" X 2'-BM workstations in laminate finish with side storage and back storage (size of storage 7'-0" X 2'-BM workstations in laminate finish with side storage and back storage (size of storage 7'-0" X 2'-BM workstations in laminate finish with side storage (size of storage 7'-0" X 2'-BM workstations in laminate finish with side storage (size of storage 7'-0" X 2'-BM workstations in laminate finish with side storage (size of storage 7'-0" X 2'-BM workstations in laminate finish with side storage (size of storage 7'-0" X 2'-BM workstations in laminate finish with side storage (size of storage 7'-0" X 2'-BM workstations in laminate finish with side storage (size of storage 7'-0" X 2'-BM workstations in laminate finish with side storage (size of storage 7'-0" X 2'-BM workstations in laminate finish with side storage (size of storage 7'-0" X 2'-BM workstations in laminate finish with side storage (size of storage 7'-0" X 2'-BM workstations in laminate finish with side storage (size of storage 7'-0" X 2'-BM workstations in laminate finish with side storage (size of storage 7'-0" X 2'-BM workstations in laminate finish with side storage (size of storage 7'-0" X 2'-BM workstations in laminate finish with side storage (size of storage 7'-0" X 2'-BM workstations in laminate finish wi	-6"			
î	BM workstations in laminate finish with side storage and back storage (size of space). The table she in height or as per the drawing) CRM Table size 7'x3' Or as per availability of space. The table she	all 1.0	00 Nos.		
	in height or as per the drawing) CRM Table size 13.5 of as per a data		/		
	be postformed		- Rft		
ii		the	00 11		
ii	P/f Officers / Assistant Manager interactive workstations in laminate missi of race	4.0	00 Nos.		
,,,			- Nos.		
- 1	er sable with interactive workstations in fairmate times, as per the		- Rft		
i'	- 1 Courte Of St. deffers		- IXII	-	
	Commercial Table		XI		
1			- Nos		
	Size: dia 1'6"				
1	ii CASH COUNTER	rood			
	CASH COUNTER (MODULAR TYPE) Making 5-0" x 2-6 table top with 15 km p.5	lley,	1		
1	support, 1 mm thk laminate finish of approved shade, cabillet, drawers, keyesian & Rate inclu	ides 2	.00 Nos		
	complete with all type of hardwares, Teak wood moulding bead as per design & rate men	ned)	1100		
			1		
	Making all side partitions (upto 6' ht.), door, front facia & front glass (12 min thick total window over table top with s/s 'D' bracket as per drawing & bank's specification or as directed				



Ю	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	BUDGETARY ESTIMATION OF ELECTRICAL JOB FOR	CHIRA	NJEEVI BR	RANCH	T
	DESCRIPTION	QTY.	UNIT	RATE	AMOUNT
O.	PARTICULAR				
	Supply, laying, connection & testing of light,				
	fan point, wiring by 2x1.5mmsq(2x3/.029) +				
	Ix1mmsq PVC insulated copper flexiable wire				
	maintating the colour code as per direction in				
	PVC conduite of 20mm with ISI mark 1.5mm				
	thickness to conceal in wall partition mending				
	good the damage, complete with PVC circular				
	box, bend to be done as per drawaing including 3 point ceiling rows wherever				
	required GI saddle to be used for fixing.				
	metal flexiable/PVC flexiable pipe may use				
	if requied in partition wall. All PVC pipes				
	should be with ISI mark. No joints will be		-		
_	allowed inside pipe ,light, fan & plug point		-		
	complete with modular type switch plate &		-		
-	MS box .		-		
a)	Lighting point complete with modular type				
	switch, plate, M.S. conceal box.				
		18	Nos		
	Point - 1 Light point control by 01 switch.	14	Nos		
	Point - 2 Light point control by 01 switch.	8	No.		
	Point - 3 Light point control by 01 switch. Point - 4 Light point control by 01 switch.	0	No.		-
	Exhust fan point same as item No. 1acomplete with modualr type switch plate &MS conceal box & 3	0	Nos		-
b)	pin ceiling rose.				
.0)					
	Wall bracket fan point as above complete with modular type switch, plate & M.S. conceal box.	10	Nos		
c)	Including one 2pin plug socket, front plate & conceal box at fan end.				
	48" dia ceiling fan point as above complete with modular type switch, plate & M.S. conceal box.	2	Nos		
	48" dia ceiling fan point as above complete with modular type switch, place to the state of the	2	NOS		
d)	Including one 2pin plug socket, front plate & conceal box at fan end.				
	Call bell point same as as bove complete with modular type push switch, plate & M.S. conceal box	1	No.		
e)	with buzzer type bell.				
0)				-	
	Supply Laying of Circuit line2x2.5mmsq +1x1mmsq PVC insulated copper wire form MCB	140	Mts	V	
2	DB(LDB) to lighting SB & Raw power plug point (6Amps) rest are same as item no. 1.5 fight bound of	140	, in the		
	6 amps plug connected from one circuite.				
	Supply Fixing & connection of modular type 6 amps Plug switch complete with Ms box Socket to	0	NIW		
	Supply Fixing & connection of modular type 6 amps Flug switch complete with the	8	No.		
a)	fixed above table. 03 nos plug can be connected from 01 circuite				
	Same as above but 16 Amps 6pin socket with 16amps switch for raw power point. (01 Nos plu	g 6	No.		
b)	The state of the s				
0)	Connected from the discussion				
SI	PARTICULAR				
4	SUPPLY FIXING & CONNECTION				
	LIGHT FITTINGS / FANS:				
	STANDARD CONTRACTOR OF THE STANDARD CONTRACTOR O	12	Nos.		
A	Recess mounted 40 watt LED PHILIPS/ HAVELS MAKE FITTING 2'-0"X2'-0"				
	The light Ettingswith truelite with both end cap white	10	Nos.		
E	PHILIPS/ HAVELS make 1x40 watt Tubelight fittingswith truelite with both end cap white				
-	Recess mounted 18 watt LED PHILIPS/ HAVELS MAKE down lighter.	25	Nos		
(Salara es		
-	225 mm dia heavey duty Exhust fan 230 volt A.C. (EPC / PHILIPS make).	0	Nos	1	di Indian S
-	225 mm dia heavey duty Exhust fan 230 voit A.C. (ETC / THEIR O maney)			1/10	193
-	Wall mountaing fan 400 mm dia 230 volt A.C.	0	Nos.	(100)	अ.का नियमपुर
-		(pv	Nime	155	20 Milhapore A
	F 48" CEILING FAN WHITE COLOUR (ORIENT/PHILIPS/HAVELS)	0	Nos.		/ 1/7 /
1		-D		-	Allaha
	PHILIPS/ HAVELS make 2x40 watt TL fittingswith truelite with both INDUSTRIAL TYPE FIXE	ED 0	Nos		
F	The second secon				
	G DIRECT ON TRUE CEILING.				
	G DIRECT ON TRUE CEILING.	la l	4.4		
		te 2	Nos.		
	H PHILIPS/ HAVELS make 1x40 watt 2' lenthTubelight fittingswith truelite with both end cap whi	te 2	Nos.		

		QTY	UNIT	RATE	AMOUNT
R.NO	DESCRIPTION	QII	Civil	A.M.A.R.	
	Supply fixing & connection of UPS circuite line with 2x2.5+1x1.5mmsq through regid PVC conduite 20mmdia 1.6 mm wall tickness, with ISI mark, to lay from UPS MCB DB to plug point board, rest same as item no.1 Two nos point to be connected from One circuite.	130	Mts		
b)	Supply fixing & connection of UPS circuite line with 16 sqmm (approved make) wire to be connected from main to UPS for use UPS charging purpose only. Connection must through with MCB.	28	Mts		
c)	Supply fixing of 2x6Amps 5 pin socket + 1x16 Amps 6 pin socket in single board (under table) + 1x16 A switch in another board above table as per direction.	8	Set		
	Same as above but 3x6/16, 6pin socket with switch to provide near HUB rack, are to be connected from UPS power.	2	Set		



NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
_	a c myC insulated				
	Supply laying & connection of UPS incomming power linewith 2x6mmsq +1x2.5 PVC insulated	40	mtr		
- 1	copper wire rest same as item no item no. 1 from PDB to UPS incomming power switch including 1	40			
	nos outgoing line.				
	Supply installation of UPS incomming 63Amps DP MCB with original housing of Legrand make.	4	no		
)	Supply installation of UPS incomming 63/Amps DF Web with organia neutring				
	Supply installation and termination of UPS outgoing power distribution system with 10+2Way SPN	4	no		
. 1	DB comprising8x10Amps SP MCB & 40 Amps DP MCB as main	4	110		
g)	DB comprising 8x to Alinps 31 MCB & 40 Paints 51 MCB				
6	LAYING OF CABLE:				
0	so the first power with 50 mm so 3.5 core PVC insulated, PVC sheated	16	Mto		
	Alu.Conductor, 1100 v. grade armoured cable complete with 02 nos 8 SWG bear Gl.wire as running	16	Mts.		
a)	earth.				
	the stand Alu Lug				
	End termination of 50 mmsq 3.5 Core armoured cable, complete with brass cable gland , Alu. Lug,	10	End		
b)	PVC tape.				
7	MAIN ELECTRICAL Cubical type panal.				
7.1	MAIN VTPN DB				
	Supplying, installing, testing & commissioning of 24 Slots, Vertical busbar, MCB type Power Distribution				
_	Board (MAIN VTPN DB), flush mounted on wall, sheet				
	metal fabricated , powder coated, having				
	dust-proof and vermin proof, and hinged door				
	with all internals such as DIN rails, neutral-link,				
	interconnected wiring complete with earthing				
	lugs housing following switchgears.				
	1 no., 125A, 4P MCCB as incomer			-	
	4 no., 63/40A, TP MCB				
	8 no.,40/32/25 A SP MCB.		o rim		
	6 nos, 20/16A, SP, MCB outgoing		SET		
					-
i	125 amps 4P CHANGE OVERSWITCH ON LOAD TYPE in sheet steel enclosure complete with all mounting	1.00	No		
			Non		
11	accessories before lighting DB with necessary came joining adaptor loss and socket - waterproof tight 32/25A roll socket complete with 32/25/16/10 amps DPMCB with 3 pin metal clad socket - waterproof tight	-	Nos		
iii	(IP 65) for wall unit split AC machine 40A/32A DP MCB in sheet steel enclosure complete with all mounting accessories for UPS & others	2.00	Nos		
111	Providing and Supplying 40 A TP MCB as a master Switch to switch off all the LDB Loads, located at the	1.00	Nos.		
	Entrance of the Branch.				
7.C	DISTRIBUTION BOARDS				
	Supply, installation, testing & commissioning of Distribution Boards surface / flush mounted with Double door containing MCB/ELMCB as incomer and SPMCB as outgoing. All MCBs are of 10KA breaking capacity and containing MCB/ELMCB as incomer and SPMCB as outgoing.				
	Les vices in occident and the of 20 m A /100 MA constitute the LIB shall have appropriate no. of top and oction				
	I				
	earth studs. All terminations in DB shall be complete with ferulling, dressing and all circuits shall be properly labeled with PVC strip (sticker type) having identification as per the final approval of Consultant. For UPS DE	3			
	MCB shall be 'D' type and other MCBs shall be 'C' category for lighting and raw power DB				
	MCB shall be by type and other mebs shall be a sample of the shall be byte and other mebs shall be byte			1	
		1.00	No		
i	Lighting & power Distribution Board -	1.00			
	12 way TPN DB	-			
	Incomertor of the circumstance of the circumst				
	Outgoings :6/10 SP MCB, 'C' Type - 36 Nos				
		_	No		
11					
	4 way TPN DB				
	Incomer:40A 4PMCB+ ELCB 100 ma Outgoings: 32 A SP MCB - 2 Nos; 16/20 SP MCB, 'C' Type - 4 Nos				
	Outgoings: 32 A SP MCB - 2 Nos , 10/20/31 MCB, C 13PC				
	UPS Power Distribution Board -(FOR 3KVA UPS)	1.0) No		
	12 way SPN DB				
101	Incomer:40A DP MCB, 'D' Type				
111	province and the second of the				
10	Outgoings: 16/10 SP MCB. 'D' Type - 10Nos				
101	Outgoings:16/10 SP MCB, 'D' Type – 10Nos				1
			No		
iv	UPS Power Distribution Board - UPS DB-2KVA-ATM)	1	No		
	UPS Power Distribution Board - UPS DB-2KVA-ATM) 6 way SPN DB		No		
	UPS Power Distribution Board - UPS DB-2KVA-ATM) 6 way SPN DB Incomer20A DP MCB, 'D' Type	-	No		
	UPS Power Distribution Board - UPS DB-2KVA-ATM) 6 way SPN DB	-	No		
iv	UPS Power Distribution Board - UPS DB-2KVA-ATM) 6 way SPN DB Incomer20A DP MCB, 'D' Type Outgoings :16/20 SP MCB, 'D' Type - 4 Nos	-	No		
in	UPS Power Distribution Board - UPS DB-2KVA-ATM) 6 way SPN DB Incomer20A DP MCB, 'D' Type Outgoings :16/20 SP MCB, 'D' Type - 4 Nos EARTHING STATION:	-	No		
in	UPS Power Distribution Board - UPS DB-2KVA-ATM) 6 way SPN DB Incomer20A DP MCB, 'D' Type Outgoings:16/20 SP MCB, 'D' Type - 4 Nos EARTHING STATION: Earthing installation as per I.E. rule conforming		No		
in	UPS Power Distribution Board - UPS DB-2KVA-ATM) 6 way SPN DB Incomer20A DP MCB, 'D' Type Outgoings:16/20 SP MCB, 'D' Type - 4 Nos EARTHING STATION: 1) Earthing installation as per I.E. rule conforming to IS 3043-1987 or its latest amendent by		No		
in	UPS Power Distribution Board - UPS DB-2KVA-ATM) 6 way SPN DB Incomer20A DP MCB, 'D' Type Outgoings:16/20 SP MCB, 'D' Type - 4 Nos EARTHING STATION: a) Earthing installation as per I.E. rule conforming to IS 3043-1987 or its latest amendent by making earth station with 600x600x3mm(mini-		No		
in	UPS Power Distribution Board - UPS DB-2KVA-ATM) 6 way SPN DB Incomer20A DP MCB, 'D' Type Outgoings:16/20 SP MCB, 'D' Type - 4 Nos EARTHING STATION: 1) Earthing installation as per I.E. rule conforming to IS 3043-1987 or its latest amendent by		No		

	PESCONDEION	QTY	UNIT	RATE	AMOUNT
R.NO	DESCRIPTION	Ų.,			
0	f ground with charcoal, sand .& salt, connecting				
tl	he 25x3mm thick copper lead in strip (upto 10				
n	nts length) by bolting and brazing to the copper				
p	plate complete with Brass bolt of suitable		-		
116	ength double nuts & washer including supply &				
f	ixing of 50mm dia 2.3Mts long partly perforated		-		
(G.I. Pipe with funnel for watering arragment.		1		
N	N.B The Copper plate to be buried under				
3	3.3Mts depth from ground level, including	2	Set		
-	C.I. Pit 300x300mm with necessary brick		361		



o	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	all (For UPS earthing).				
) <u>w</u>	pikeEarthing with G.I. Electode 3mts. Longx50				
5	m dia (Class - B) including accessories and				
m	m dia (Class - B) filetiding accessories and				
pi	00x300mm plate having locking arrangement				
3	nd watering funnel Etc. with charcoal,				
a	and & salt at alternate layer as required				
Si	and & salt at atternate tayer as required	1	No.		
10	or electrical panal earthing.				
	1 Learnel conthing	45	Mts		
(For main electrical panel earthing.)				
	Supply laying 1x8SWG copper bear wire from				
i) S	earth spike to main panal.(Electrolite wire)				
	earth spike to main panar (Electronic Wile)				
I	Do but with 1x16mmsq insulated				
- (copper wire from earth spike to UPS earth ous bar through PVC regid 20mmdia ISI mark.	45	Mts		-
1	ous bar through PVC regid 20mmdia 151 mark.				
	A/C. electrification :-				
9					
a)	Supply laying & connection of A/C. line for	130	Mts		
	1.5 /TTR A/C. window / splite with $2x4 + 1x2.5$				
	mmsq throughRegid PVC conduite rest same				
	item no 1.				
	THE COLUMN COLUMN	5	Nos		
b)	S/Fixing AC Box as per company specification with 25 Amp SPMCB with 25AMP Socket	3	1.00		
- 1			-		
10	Out door type glow sgn board wiring :-	12	Mts		
a)	Supply laying of main line with 2x2.5 +1x1.5	12	Mts		
a)	mmsq through MS conduite from main panal				
	to glow sign board.				
_	to glow sign board.				+
LV	Supply installation of 16 amps DP MCB at main				-
b)	entrance Glow sign board WITH TIMMER MDS MAKE	0	Set		
	entrance Glow sign board Williams				
	Supply fixing of 100Amps TPN HRC type SFU				
11	at SEB for main incomming on MS angle.	0	No.		
	frame & 02 nos Cable end box including				
	connection.				
	Gen set wiring :-				
12					
a)	Supply laying fixing main power with 3.5 core				
	35Sq.mm PVC insulated,PVC sheathed Alu.	15	Mts		
	Conductor, 1100 v. grade armoured cable				
	complete with 02 nos 8 SWG bear GLwire				
	as running earth.				
		8	End		
b)	End termination of 3.5 core 50 Sq.mm				
	armoured cable, complete with brass cable				
	gland , Alu. Lug, PVC tape.				
13	LAN WORK				
D	Data /Voice Network System	240.	00 Mtr		
1	Supply & Installation of cat - 6 Data Cable		00 Nos		
2	RJ - 45 Data Socket With Plate	6.	Nos		
3	DI 11 Voice Scalet		Mtr		
4	Supply & Installation of Voice Cable - 4 pair Telephone Cable un armoured PVC Sheated.				
5	10 Pair Tag Block Crome type on MS box			-	
6	P/F 9U Rack		Nos	_	
7	EPABX Box		Nos		
8	Patch code-3 Meter		.00 Nos		
9	Patch code-1.5 Meter(inside rack to connect router to patch panel)		- Nos		
			Nos		
10			Nos		
11	24 POIL JACK PAIICE				
_					
_					
	SUMMARY OF FURNISHING & ELI	ECTRICA	LJOB	13	to ndian
	SUMMARY OF FURNISHING & ELI	CINICA		167	101
				1.40/31	का मिदनापुर
-	FURNISHING JOB			13 20	Midnapore A
-	ELECTRICAL JOB			1 mg/	20
	ELECTRICALOOD			1	₹ Allahabab
					W AUMIN /