

इंडियन बैंक



Indian Bank

इलाहाबाद

ALLAHABAD

Annexure – 1

Indian Bank,
Zonal Office Varanasi,
S 19-33 Md. Ikram Khan Building,
Varuna Bridge, Varanasi,
Uttar Pradesh, Pin -221002,
Phone No.: 0542-2507573
E-Mail: z750@indianbank.co.in

TENDER DOCUMENT

FOR ENGAGING OF AGENCY FOR DOING ELECTRICAL SAFETY AUDIT & ENERGY AUDIT OF BANK'S
BRANCHES/ATMS/OFFICE PREMISES



1. BACKGROUND

Indian Bank (the "Bank") is a body corporate constituted under the Banking Companies (Acquisition and Transfer of Undertaking) Act, 1970 with its Head Office at 254-260, Avvai Shanmugam Salai, Royapettah, Chennai – 600014. The Bank is desirous of conducting Electrical Safety Audit & Energy Audit of its Branches / ATMS/ Offices buildings located under **Indian Bank, Varanasi Zone Office**. To engage the experienced agencies for conducting Electrical Safety Audit & Energy Audit, scope of work is outlined in this Tender document. Any further addenda / corrigenda / extension of dates / clarification / responses to Tenderers' queries in respect of the above tender shall be posted only on the Bank's website at www.indianbank.bank.in and no separate notification shall be issued in any newspapers.

2. DISCLAIMER

The information contained in this Tender document or information provided subsequently to the Tenderers by the Bank on the terms and conditions set out in this Tender document and all other terms and conditions, subject to which such information is provided, is being provided to the Tenderers for the purpose of inviting Tenders and does not constitute nor should be interpreted as an offer. This tender document is meant to provide information only and the Tenderers acknowledge that it shall be used only for the purpose of preparing and submitting the Tender and for the purpose necessarily associated herewith and for no other purpose whatsoever. This Tender document has not been filed, registered or approved in any jurisdiction. Each Tenderer should, at its own costs without any right to claim reimbursement, conduct its own investigations, analysis and should check the accuracy, reliability and completeness of the information in this Tender document and wherever felt necessary to obtain independent advice. The Bank makes no representation or warranty and shall incur no liability whatsoever under any law, statute, rules or regulations as to the accuracy, reliability or completeness of the Tender document. The information contained in this Tender document is selective and is subject to update, expansion, revision and amendment.

The Bank reserves the right of discretion to change, modify, add to or alter any or all of the provisions of this Tender document and / or the Tendering process, without assigning any reasons whatsoever. Such change will be intimated or made accessible to all Tenderers or can be accessed on the website of the Bank at www.indianbank.co.in. Any information contained in this Tender document will be superseded by any later written information on the same subject made available/ accessible to the Tenderers by the Bank. All information about the Bank and the Scope of Work furnished by the Tenderers to the Bank in the context of the Scope of Work shall be deemed to be "Confidential information" for the purpose of the Tender document. Information provided in this Tender document is on a wide range of matters, some of which may depend upon interpretation of law. The information given is not intended to be an exhaustive account of statutory requirements and should not be regarded as a complete or authoritative statement of law. Further, the Bank does not accept liability of any nature whether resulting from negligence or otherwise howsoever caused arising from reliance of any Tenderers upon the statements contained in this Tender document.

The Bank reserves the right to reject any or all Tenderers received in response to this Tender document at any stage without assigning any reason whatsoever and without being liable for any loss/injury that a Tenderer might suffer due to such reason. The decision of the Bank shall be final, conclusive and binding on all the Tenderers/parties directly or indirectly connected with the Tendering process.

While this Tender document has been prepared in good faith, neither the Bank nor its employees, officers, and executives make any representation or warranty or shall have any responsibility or liability whatsoever in respect of any statements or omissions herefrom. Nothing in this Tender document shall be construed as legal, financial or tax advice. Any liability is accordingly expressly disclaimed by the Bank, its employees, officers, executives, affiliates, their respective officers, employees and agents even if any loss or damage is caused by any act or omission on the part of the Bank, its officers, employees, executives, affiliates, their respective officers, employees and agents, whether negligent or otherwise.





3. TIME SCHEDULE OF THE TENDER PROCESS:

Srl No.	Particulars	Date and Time
1.	Date of commencement of Tender Process	Date – 18 th April 2026
2.	Last Date and Time for submission of Tender including Technical and Financial Bids and EMD ("Tender Due Date)	Date – 11 th May 2026 Time – 1500 PM
3.	Date and Time for opening of the Technical Bid	Date – 13 th May 2026 Time – 1600 PM Venue – Indian Bank, Zonal Office, Varanasi
4.	Date and Time for opening of Financial Bids	Date and Time for opening of Financial Bids shall be advised separately after evaluation of Technical Bids. Venue – Indian Bank, Zonal Office, Varanasi

4. DEFINITIONS

Capitalized terms used in this Tender document, will have the following meanings unless. The context requires otherwise.

- a. "Bank" means Indian Bank, a body constituted under the provisions of the Banking Companies (Acquisition and Transfer of Undertaking) Act, 1969 having its Corporate Office at 254-260, Avvai Shanmugam Salai, Royapettah, Chennai – 14.
- b. "Contract" means the contract to be signed between the Bank and the selected Tenderer in accordance with a format to be approved / provided by the Bank and all the attached documents and the appendices, thereto.
- c. "Agency" means the successful Tenderer who has been awarded the contract as per the Scope of work outlined in this Tender document by the Bank, pursuant to issuance of the Work order.
- d. "Day" means the Bank's working day as defined under Negotiable instrument Act, 1881.
- e. "Work order" means the letter of intent to be issued by the Bank to the successful Tenderer in accordance with paragraph 17.1 of this Tender document.
- f. "Parties" means, collectively the Bank and the Tenderer / selected Tenderer / Agency as the context may require and "Party" means any of them individually.
- g. "Personnel / Professional" mean employees, officers, partners, directors, executives, staff and personnel of the Tenderer.
- h. "Scope of Work" means the scope of work to be undertaken by the successful Tenderer / Agency, as outlined in this Tender document.
- i. "Tender" means the Technical Bid, the Financial Bid and other documents submitted in response to this Tender document submitted by the Tenderer.





- j. "Tender document" means this "invitation of Tender" prepared by the Bank for the engagement of audit agency including any subsequent clarification, amendment, modifications issued by the Bank hereto.
- k. "Tenderer" means any individual, entity, body corporate or a firm who is submitting its Tender in response to this Tender notice for providing services to the Bank.

5. OBJECTIVE

- a. The Bank is desirous to engage an agency for undertaking the Scope of Work, in accordance with and in the manner set out in this Tender document and the Contract.
- b. Accordingly, interested parties are requested to go through the eligibility criteria, Scope of Work, terms and conditions, etc. as enumerated herein below and submit their Tenders as per programme detailed in this document.

6. ELIGIBILITY CRITERIA

Tenders may be submitted by an individual, proprietorship firm, limited liability partnership, company which satisfies the eligibility criteria stipulated in this Tender document.

- a. The Tender must be a citizen of India and competent to contract under Indian Contract Act, 1872 and if a Institute, partnership firm, limited liability partnership, company or entity, it should be duly constituted / registered / incorporated, in accordance with the applicable laws of India.
- b. The Tenderer should not have been declared insolvent, bankrupt or unable to pay his debts, by any court of law and shall have no insolvency or similar proceedings pending before any court of law or tribunal.
- c. The Tenderer should not be a defaulter to any bank / financial institution or any non-banking financial company.
- d. The Tenderer should not have been penalized for any criminal offence by any court and shall have no criminal action or proceedings pending before and court.
- e. The Tenderer must have in its name, as a prime contractor / agency experience of having successfully executed assignments similar to the Scope of Work and must have successfully completed at least one single job anywhere in India the past 3 (three) years.
- (a) For the purpose of this paragraph, "year" means a continuous period of 365 (three hundred sixty-five) days starting at any date of a year during the period of the last 3 (three) years preceding the last day of the month previous to the one in which this Tenderer document is issued.
- (b) For substantiating work experience, Tenderers are required to furnish the following information:
- (i) Copy of work order and completion certificate from a client of the Tenderer; and
- (ii) Start date and end date of each qualifying experience.
- f. Preference would be given to a Tenderer who has qualifying experience with respect to assignments similar to the Scope of Work in relation to immovable properties owned by nationalized banks and financial institutions / Public Sector Undertakings / Centre and/ or State Government organisations.
- g. The Tenderer should have valid and currently subsisting permissions, licenses, authorisations required under applicable law to undertake its business and as may be required for purposes of the Scope of Work.
- h. The Tenderer should possess a Permanent Account Number ("PAN"), Tax Deduction Account Number ("TAN") and GST number issued by the relevant tax department of the Government of India.

******* PREFERENCE WILL BE GIVEN TO THOSE WHO HAVE REGISTERED OFFICE AT VARANASI / PRAYAGRAJ DISTRICT.**



7. PROCEDURE TO BE ADOPTED FOR SUBMISSION OF TENDER:

a. General Instructions

- (a) Tenderer must review this Tender document as a whole and ensure that their Tenders are as per the terms hereof. The Bank retains the right to modify the terms of this Tender document and / or any of the Sections / attachments / formats at any time prior to the Tender Due Date.
- (b) Tenderers are expected to examine this Tender document including all instructions, forms, specifications, conditions and other documents and requirements hereof. Failure to furnish any or all of the information required by this Tender document or submission of a Tender not responsive to this Tender document in every respect may result in rejection on the Tender. Tenderers shall be deemed to have understood and taken into account all the terms and conditions prescribed in this Tender document.

b. Tenderers must apply to the Bank in the prescribed proforma as provided in this Tender document.

c. The Tender should contain the following:

- (a) The Technical Bid;
(b) The Financial Bid.

d. **The Technical Bid:** Tenderer must submit the Technical Bid in the format set out in Annexure A of this Tender document, duly filled up, in an envelope super scribing "**Technical Bid for engagement agency for Electrical Safety & Energy Audit**" on the top of the envelope. The format of the Technical Bid shall be typed out and printed on the Tenderer's letter head and signed by the Tenderer or an authorised signatory tendering with authorisation from the Tenderer. The content of the Technical Bid submitted by a Tenderer must be same as the format set out herein and should not contain any other information. Is there any change in the contents of the Technical Bid submitted by the Tenderer as compared to the format set out herein, then the Tender shall be rejected. Self-attested copies of the following documents are to be submitted along with the Technical Bid:

- i. In case, the Tenderer is firm, limited liability partnership or a body corporate, details of constitution of firm, limited liability partnership of body corporate;
- ii. KYC Documents like Aadhar, PAN, driving license, passport, etc. if the Tenderer is firm, limited liability partnership or body corporate, the person who has been authorized to submit the sign the Tender has to submit his / her KYC documents;
- iii. In case of body corporate, are solution duty signed by the authorized persons of that body corporate authorizing therein a person to submit and sign the Tender.
- iv. An affidavit confirming therein that Tenderer has not been declared insolvent or no insolvency proceedings are going on in any court of law nor he has been a defaulter to any bank financial institution or any non-banking financial company or have been punished for any criminal act by any court;
- v. Latest Income Tax return;
- vi. Information on qualifying criteria as set out in paragraph 6 above, including necessary documents;
- vii. EMD by way of a demand draft for Rs. 2000/- (Rupees Two Thousand Only) favouring Indian Bank payable at Varanasi; Firms registered with **Udyog Aadhar as MSME exempted from EMD.**
- viii. Audited balance sheet for last 3 (three) financial years and solvency certificate from its bankers.

e. **The Financial Bid:** Tenderer must submit the Financial Bid in the format set out in Annexure B of this Tender document, duly filled up, in separate sealed envelopes super scribing "Financial Bid for Engagement of agency for Electrical Safety & Energy Audit" on top of the envelope. The Financial Bid shall not include any conditions attached to it. All unit rates and prices in the Financial Bid shall be quoted by the Tenderers in Indian Rupees Only. Any such conditional Tenders shall be liable for rejection.





- f. These two separate sealed envelopes should be put together in a third envelope duly sealed and super-scribing "Tender for Engagement of agency for Electrical Safety & Energy Audit".
- g. No Tenderer shall submit more than one Tender. A Tenderer who submits or participates in submitting more than one Tender shall be liable for rejection of all Tenders in which such Tenderer has participated.
- h. The Tenderer as well as all related correspondence exchanged by the Tenderer with the Bank shall be written in Hindi or English language. The Tenderer form, complete in all respect, should reach the following addressee through any mode of delivery before the Tender due date:-

Deputy Zonal Manager
 Indian Bank
 Zonal Office Varanasi
 S 19-33 Md. Ikram Khan Building,
 Varuna Bridge, Varanasi,
 Uttar Pradesh, Pin -221002,
 Phone No.: 0542-2507573
 E-Mail: z750@indianbank.co.in

- i. The Bank may at its sole discretion, extend the Tender due date by amending the Tender due date, in which case all rights and obligations of the Bank and the Tenderers will be subject to the Tender due date as extended.
- j. The Bank is not responsible for non-receipt of Tender within the Tender due date due to any reason including postal delays or holidays.
 - k. The Financial Bids of the tenders whose Technical Bid is not accompanied with EMD, will not be opened.
 - l. All pages of this Tender document should be sealed and signed by the Tenderer (in case of an individual) or the authorized signatory of the Tenderer, in other cases.

8. SCOPE OF WORK:

The scope of work to be undertaken by the Agency upon the job being awarded to such Agency by the Bank is as follows ("Scope of Work").

- a. Study of lay out plan / Electrical drawings wherever, provided by the Bank.
- b. Detailed visual inspection of Electrical system.
- c. Floor -wise assessment of Luminaries, AC System, UPS and Electrical Panel room, Transformer, Elevator, Pump, Earthing System & Lightning Protection System-where-ever applicable.
- d. Load Calculation.
- e. Insulation Megger of all electrical items.
- f. Electrical Safety Aspect
- g. Making single line diagram of total Electrical system.
- h. Any other necessary test considered necessary after visual inspection of the building.
- i. Preparation of comprehensive report (as per applicable reporting format) rectifying deficiencies shown in test reports conducted to assess the Electrical Safety of the Electrical Installation System. The above reports are to be submitted in two sets in hard copy as well as in soft copy along with necessary postcard size coloured photographs on glossary paper.



इंडियन बैंक



Indian Bank

इलाहाबाद

ALLAHABAD

9. CONFLICT OF INTEREST

- a. The selected Tenderer / Agency shall provide professional objective and impartial advice, and at all times hold the Bank's interest as paramount. Strictly avoid conflict with other assignment / job(s) or their own corporate interests, and act without any expectation / consideration for award of any future assignments(s) from the Bank.
- b. Without limitation on the generality of the foregoing, the selected Tenderer / Agency, and any of their affiliates and member firms shall be considered to have a conflict of interest (and shall not be engaged under any of the circumstances) set forth below:
 - i. Conflicting assignment / job; The Tenderer (including its personnel) or any of its affiliates and member firms shall not be hired for any assignment / job / task that, by its nature, may be in conflict with another assignment / job / task of consultancy to be executed for the same and / or for another employer.
 - ii. Conflicting relationships; The Tenderer (including its personnel) having a business or family relationship with a member of the Bank's staff who is directly or indirectly involved in any part of (i) the preparation of the terms of reference of the Scope of Work, (ii) the selection process for the Scope of Work, or (iii) supervision of the Contract, may not be awarded a contract unless the conflict stemming from such relationship has been resolved in a manner acceptable to the Bank throughout the selection process and the execution of the Contract.

10. SELECTION PROCESS

- a. The Tenderers fulfilling eligibility criteria shall be eligible for opening of Financial Bids.
- b. Selection criteria for the Financial Bid shall be that the Tenderer must quote the lowest fee being the professional charges and other ancillary charges for the Scope of Work to be undertaken.
- c. In case of tie between two or more Tenders, Bank will go for the interse Tendering amongst the Tenderers involved in tie.

11. VALIDITY PERIOD OF THE TENDER:-

The Tender shall remain valid for a period of 90 (Ninety) days from the Tender due date. In exceptional circumstances, prior to expiry of the original validity period the Bank may extend the period of validity. In such an event, the period of withholding the EMD shall be extended proportionately.

12. CHANGE IN THE CONSTITUTION OF THE TENDERER

- a. Prior written approval of the Bank shall be obtained by the Tenderer (if the Tenderer is not an individual) prior to change in its constitution subsequent to the submission of the Tender. Any violation of this provision shall be deemed to be a breach of the Tender document and shall lead to rejection of the Tender submitted by such Tenderer. No changes to the constitution of any Tenderer shall be permitted after the Tender Due Date.
- b. Canvassing by any Tenderer in connection with the Tender or the Tendering process is strictly prohibited. In the event any Tenderer resorts to canvassing in any form or manner, the Tender submitted by such Tenderer shall be liable for rejection.



इंडियन बैंक



Indian Bank

इलाहाबाद

ALLAHABAD

13. TIME OF COMPLETION OF THE WORK:

- a. The Bank intends to complete the process of completing Electrical audit and submission of report within **120 days** from placing order with the agency.

14. PAYMENT TERMS:

- a. The fee quoted by the successful Tenderer / Agency shall be the fees payable by the Bank to the Agency for performance of the Scope of Work (such fee hereinafter referred to as the "Agreed Fee").
- b. Payment of total Agreed Fee will be made by the Bank in full after satisfactory completion of Electrical Audit work and submission of reports.

15. CONTRACT:

- a. Prior to expiry of the Tender validity period, the Bank will notify the successful Tenderer that its Tender has been accepted by way of issuance of the Work Order to the successful Tenderer through registered post / speed post (a scanned copy of the Work Order will be simultaneously sent to the successful Tenderer by way of email). The notification of award will constitute the formation of the Contract. The successful Tenderer is required to sign and return a duplicate copy of the Work order within a period of 2 (Two) days from the date of issuance of the Work Order.
- b. The Tender will be the basis of the Contract to be signed between the Bank and the selected Agency. The Contract which will incorporate all the understanding between the Bank and the Agency shall be finalized and executed within 7 (Seven) days of issuance of the Work Order by the Bank.
- c. Until the Contract is executed, this Tender document together with the Bank's written acceptance of the Agency Tender shall constitute a binding contract with the successful Tenderer.
- d. The original copy of the Contract shall remain with the Bank at all times and an attested counterpart shall be provided to the Agency.

16. LIQUIDATED DAMAGES:

- a. Should the scope of Work not be completed to the Bank's satisfaction within the stipulated time period, the Agency shall be bound to pay to the Bank a sum of 0.50% of the Contact fee per week of delay by way of liquidated damages, provided that the Bank is fully satisfied that the delay is not attributable to the Agency or arose from an even tor circumstances beyond the control of the Agency.

17. OTHER TERMS AND CONDITIONS

- a. The Tenderer shall be responsible for all costs associated with the preparation to their Tenders and their participation in the tendering process including subsequent negotiations, visits to the Bank, etc. The Bank will not be responsible or in any way liable for such costs, regardless of the conduct or outcome of the selection process.





- b. The Financial Bid should clearly indicate the total fee quoted by the Tenderer for the Scope of Work, both in figures and words, in Indian Rupees. In the event of any difference between figures and words, the amount indicated in words shall prevail.
- c. The Bank does not bind itself to accept the lowest price Tender and reserves the right to reject any or all of the Tenders without assigning any reasons whatsoever without incurring any liability to the Tenderers.
- d. The selected Agency will remain associated with the Bank till the completion of the Scope of Work to the satisfaction of the Bank, in accordance with this Tender document and the Contract.
- e. The Agency shall be responsible for and obliged to all its obligations related to the Scope of Work in accordance with the Contract using best practices and industry standards, State of the art methods and economic principles and exercising all means available to the Agency to achieve the performance of the Scope of Work specified in the Contract.
- f. Tenderers not conforming to the requirements of the Tender document shall not be considered by the Bank. However, the Bank reserves the right, at any time to seek more information/clarification on Tenders or to waive any of the requirements of the Tender document, if in the sole discretion of the Bank; the best interests of Bank would be served by such actions.
- g. The Bank shall have the right to cancel the Tender process at any time prior to award of the Contract, without thereby incurring any liabilities to the affected Tenderers.
- h. The Bank reserves the right to verify the validity / correctness of Tender information and to reject any Tender where the content appear / found to be incorrect, inaccurate or inappropriate at any time during the process of Tendering or even after award of Contract.
- i. The Bank may elect to take an understanding from employees / associates of the Tenderer to maintain confidentiality of the Bank's information / documents etc. In this regard, the Bank may seek details / confirmation on background verification of the Tenderer's Personnel. The Agency shall promptly furnish all such information and documents sought by the Bank.
- j. If Chief Technical Examiner of the Central Vigilance Commission, Government of India, examines the work performed by the Agency pursuant to the Scope of Work and points out any defects or irregularities therein, the Agency shall take necessary steps to get those rectified promptly at no additional cost to the Bank, shall also assist the Bank in providing responses / representations to the observations made by the Chief Technical Examiner.
- k. Tenderers shall be deemed to be under consideration immediately after the Tender due date and until such time the Bank make official intimation of award / rejection to the Tenderers. While the Tenderers are under consideration, Tenderers and / or their representatives or other interested parties are advised to refrain, save and except as required / permitted under this Tender document, from contacting by any means, the Bank and / or its officers, employees, representatives, advisers on matter related to the Tenders under considerations.
- l. The Bank reserves the right to abandon, defer stop execution of any activity included in Scope of Work related to any property any time even after execution of contract, giving due written notice to the Agency.

18. AGENCY OBLIGATION AND USE OF BANK'S DOCUMENTS DATA AND INFORMATION

- a. The Agency shall be responsible for managing a supervising the activities of its Personnel and shall ensure that the Personnel undertake the tasks relating to the Scope of Work in accordance with the stipulated timelines and the terms of the Contract. The Agency shall at all times be responsible for all acts and omissions of its Personnel and shall indemnify and hold harmless the Bank, its officers, employees and executives from and against any and all



Technical Bid

Self-Attested
Photograph of
the Signatory

Deputy Zonal Manager
Indian Bank
Zonal Office, Varanasi
S 19-33 Md. Ikram Khan Building,
Varuna Bridge, Varanasi,
Uttar Pradesh, Pin -221002,
Phone No.: 0542-2507573
E-Mail: z750@indianbank.co.in

Sub: Engagement of Agency for Electrical Safety & Energy Audit of Bank's Branches / Office Building at Varanasi Zone.

Dear Sir,

With reference to your Tender Document dated _____, I/We having examined all relevant documents and understood their contents, hereby submit our Technical Bid for selection as agency for Electrical Safety & Energy Audit of Bank's Branches / Offices in different places / locations. The Tender is unconditional and unqualified.

1. We agree to undertake the project if allotted by the Bank, as per the Scope of Work as outlined in the Tender document.
2. We agree and undertake to abide by all the terms and conditions of the Tender document. We submit this tender under and in accordance with the terms of the Tender document.
3. The undersigned is duly authorized and competent to sign the documents on behalf of the Tenderer.
4. We agree to keep this offer valid for 90 (Ninety) days from the last date of submitting the proposal as specified in the Tender.
5. I/We certify that there has been no conviction by a court of law or indictment/adverse order in any jurisdiction by any regulatory authority or body for any offence or wrong doing against us or any associate / affiliate / or the CEO / Directors / Managers / Partners / Employees of our concern or that of our associate / affiliate. It is further certified that there is no investigation pending or threatened against us or our associate / affiliate or the CEO / Directors / Managers / Partners / Employees of our concern or that of our associate / affiliate / in any jurisdiction. I / We certify that working for the Bank in relation to the proposed assignment does not and will not conflict with the assignment that I/We have or may have now or in future; I/We further certify that we will not share Confidential Information with other assignment teams working for other clients or any other staff member who may be conflicted.

Yours faithfully

Signature, Name & Designation of authorised
(Signatory/seal of the firm / company)

Place:

Date:





Technical / Experience Details

1.	Name of the Tenderer with constitution i.e., individual / Proprietor / Partnership firm / Limited liability partnership / Company	
2.	Date of Establishment / Incorporation. (Documents related to Establishment / Incorporation to be enclosed)	
3.	Complete Address of the Tenderer	
4.	Name and contact Number, E-Mail address of the Authorised Person for discussions	
5.	Copy of License / Permission issued by relevant government authorities for carrying out business as individual in Scope of Work	
6.	Details of Persons / Associates proposed to be deployed on the banks job i.e Name, Designation, qualification, experience etc.	
7.	Name, Address and Account details of the Tenderer	
8.	PAN of the Tenderer	
9.	GST Registration number of the Tenderer	
10.	Presence in how many towns/cities in India (Name & Office Address)	
11.	Experience Details in Carrying out jobs as involved in the Scope of Work as well as required in Eligibility Criteria	
12.	Any other information considered relevant by the Tenderer firm / company	
13.	EMD details like Number, date and amount of DD/IOI, name of issuing Bank & Branch	
14.	*Address of Local Office at Varanasi/Prayagraj with support document	

*mandatory

(Signature, Name and Designation of the Authorised Signatory / seal of Firm / Company)

List of Enclosures-

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.



**FINANCIAL BID**

Deputy Zonal Manager
Indian Bank
Zonal Office, Varanasi
S 19-33 Md. Ikram Khan Building,
Varuna Bridge, Varanasi,
Uttar Pradesh, Pin -221002,
Phone No.: 0542-2507573
E-Mail: z750@indianbank.co.in

Sub: Engagement of Agency for Electrical Safety & Energy Audit of Bank's Branches / Office Building at Varanasi Zone.

Dear Sir,

With reference to your Tender Document dated _____, I/We having examined all relevant documents and understood their contents, hereby submit our Financial Bid for preparation of Tender for Electrical Safety & Energy Audit of Bank's branches / offices at different places / locations.

1. Our professional fee for the services performed in terms of the Scope of Work as set out in the Tender document will be Rs. _____ (Rupees _____) for Bank's Branches / Offices and Rs. _____ (Rupees _____) for Off-site ATM at Varanasi and other district also (For more than one sites, separate sheet showing branch/office wise break-up may be enclosed).
2. The taxes as applicable including GST will be extra.
3. All the out of pocket expenses will be borne by me / us and I / we will not charge any amount from Bank other than above quoted fee.
4. We agree to receive the fee in the stages as detailed in the Tender document.
5. Capitalised terms used herein but not defined will have the meanings assigned to such terms in the Tender document.

(Signature, Name and Designation of the Authorised signatory)

Place :

Date :





ANNEXURE – I FORMAT FOR ELETRICITY SAFTY AUDIT REPORTFOR PREMISES HAVING ONE FLOOR & OFFICE

BRANCH CODE & NAME	
ADDRESS	
SANCTIONED LOAD	
CONNECTED LOAD	
MONTHLY ELECTRICITY BILL (APPROX.)	
TOTAL TONNAGE OF CONDITIONER LOAD AIR	
AREA OF THE BRANCH	

ELECTRICAL SAFETY:

S.NO.	DESCRIPTION	DETAILS	REMARKS (IF ANY)
1.	WHETHER TPN ISOLATORS / MCCBs / ELCBs / ARE PROVIDED TO CATER THE LOAD	YES / NO	
2.	WHETHER LIGHTS AND EMERGENCY LIGHTS ARE PROVIDED IN ELECTRICAL ROOM / OPERATING AREAS FOR EASY OPERATION & MAINTENANCE WORKS	YES / NO	
3.	WHETHER PUMP ROOM, DG SET ROOM, UPS ROOM, AC PLANT ROOM, ELECTRICAL PANEL ROOM ARE MAINTAINED IN DRY AND IN GOOD CONDITION AND OBSOLETE / HAZARDOUS / OLD ITEMS ARE NOT DUMPED THERE.	YES / NO	
4.	WHETHER WATER SEEPAGE IS OBSERVED NEAR ANY OF THE ELECTRICAL PANEL, DISTRIBUTION BOARD, ELECTRICAL EQUIPMENT, ETC	YES / NO	
5.	WHETHER EARTHING PITS ARE PROVIDED AND CONNECTED TO EQUIPMENT AND THE BODY OF EQUIPMENT	YES / NO	
6.	WHETHER EARTHING PITS ARE MAINTAINED PROPERLY	YES / NO	
7.	WHETHER EXHAUST FANS FOR VENTILATION OF PANEL ROOM / ELECTRICAL ROOM / UPS ROOM / DG SET ROOM IS PROVIDED AND NO PAPER, OLD MATERIAL OR ANY OTHER SCRAP IS KEPT NEAR DB / PANELS / UPS / BATTERIES ETC.	YES / NO	
8.	WHETHER PENALTY IS BEING IMPOSED IN ELECTRICITY BILL ON ACCOUNT OF HIGHER LOAD / POOR POWER FACTOR / POOR LOAD FACTOR ETC (ACERTAINED FROM THE ELECRICITY BILLS OF APRIL/MAY/JUNE/JULY) ADDITIONAL ELECTRICAL LOAD REQUIRED (IF ANY)	YES / NO	





9.	WHETHER LOAD IS DISTRIBUTED IN ALL THREE PHASES TO AVOID ANY UNBALANCING OF PHASE LOAD AND NO LOOSE ELECTRICAL CONNECTIONS / HAPHAZRAD WIRINGS OBSERVED IN THE BUILDING / OFFICE PREMISES.	YES / NO	
10.	WHETHER ISOLATING SWITCHES ARE PROVIDED FOR THE SWITCHING OFF OF THE THENON ESSENTIAL LOADS PREMISES DURING NIGHT AND MAIN SWITCH TO SWITCH OFF THE POWER SUPPLY TO THE BUILDING / FLOOR IN CASE OF FIRE / EMERGENCY.	YES / NO	
11.	WHETHER PROPER PREVENTIVE MAINTENANCE AFTER OPENING OF THE ELECTRIACL BOARDS AND DISTRIBUTION BOARDS ARE CARRIED OUT BY THE LICENSE HOLDER ELECTRICIAN OR SKILLED TECHNICIANS OF EQUIPMENT MANUFACTURER / SERVICE PROVIDERS.	YES / NO	
12	WHETHER APPROPRIATE TIMERS USED IN THE CHANGEOVER OF AIR CONDITIONERS FOR SERVER ROOM ACs AND FOR SIGNAGE BOARDS TO MAKE AUTO ON / OFF (FOR SCHEDULE TIMINGS). THE THERMOSTAT OF THE ACs AT SERVER ROOM SHOULD BE SET TO SAY 26 C, SO THAT IT WILL RUN ONLY WHEN THE TEMPRATURE IS TOO HIGH (TO MINIMIZE CHANCES OF FIRE DUE TO IDLE RUNNING OF THE ACs DURING NIGHT)	YES / NO	
13	WHETHER PREVENTIVE MAINTENANCE OF THE ELECTRIC INSTALLTION AND EQUIPMENT IS CARRIED OUT BY SKILLED LICENSE HOLDER ELECTRICIANS / SKILLED TECHNICIANS	YES / NO	
14	GENERAL CONDITION OF ELECTRICAL CONTROL PANELS, MAIN SWITCH, ELECTRIC METER BOARD, CHANGE OVER SWITCH, AC, WATER COOLERS, WATER FILTERS, WIRING CABLES ETC ARE IN GOOD CONDITIONS AND DBs, PANELS, SWITCH BOARDS ARE PROPERLY COVERED	YES / NO	
15	WHETHER ELECTRICAL EQUIPMENTS OF PANTRY ETC ARE PROPERLY CONNECTED TO INDUSTRIAL SOCKET BOX WITH MCBs. MCBs OR LATEST TYPE SWITCHES ARE PROVIDED TO SWTICH ON / OFF THE ACs TO PROTECT THEM FROM OVERLOAD.	YES / NO	
16	WHETHER THE CONTACT NUMBER OF PERSONS, ELETRICIANS, POWER DISTRIBUTION COMPANY. GENERTOR SERVICE PROVIDER, UPS VENDORS, ACs ETC ARE AVAILABLE WITH SECURITY GAURDS AND OTHER STAFF ARE DISPLAYED IN ELCTRIC / UPS/ SERVER ROOM.	YES / NO	
17	WHETHER POWER FACTOR CORRECTION PANEL OF APPROPRIATE RATING IS INSTALLED.	YES / NO	





18.	WHETHER ALL THE CONNECTING POINT AT VARIOUS DBs AND PANELS ARE PROPERLY INSULATED AND PROPER INDICATIVE MARKING ARE DONE ARE THE RESPECTIVE PANEL /DB	YES / NO	
19.	WHETHER THE INTERNAL INSULATION OF THE WIRE HAVE BEEN ACCOUNTED FOR CHECKING THE DURABILITY OF ELECTRICAL CONNECTION	YES / NO	

FIRE PREVENTIVE MEASURES:

S.NO.	DESCRIPTION	DETAILS	REMARKS (IF ANY)
1.	ALL OLD DISPOSABLE RECORDS, BROKEN FURNITURE ETC ACCUMULATED IN THE PREMISES HAVE BEEN CLEARED.	YES / NO	
2.	COMBUSTIBLE LEAF LITTER / WASTE PAPERS ETC IN AND AROUND THE BRANCH ARE REMOVED / CLEANED PERIODICALLY	YES / NO	
3.	NO STATIONARY / RECORDS / OLD OBSOLETE ITEMS ARE STORED / KEPT IN THE SERVER / UPS / ELECTRIC ROOM	YES / NO	
4.	STORAGE RACKS IN STATIONARY / RECORD ROOM KEPT AT A SAFE DISTANCE OF AT LEAST 2M FROM ELECTRICAL POINTS / SWITCH / JUNCTION BOXES	YES / NO	
5.	WHETHER IN THE PANTRY / CANTEEN, LPG IS USED	YES / NO	
6.	ARE THE FIRE EXTINGUISHERS AVAILABLE IN THE FOLLOWING WORK AREA AND CLEARLY MARKED AND ACCESSIBLE: 1. SERVER / UPS ROOM: CO2 TYPE X 2 2. INDIVIDUAL DEPARTMENT OF THE PREMISES: CO2 TYPE X 1 3. STATIONARY ROOM: CO2 TYPE X 1 4. ELECTRIC ROOM / AC PLANT ROOM: CO2 TYPE X 2 5. DG SET /GENERATOR : 6kg ABC CAPACITY X 2	YES / NO	

SERVER AND UPS ROOM:

S.NO.	DESCRIPTION	DETAILS	REMARKS (IF ANY)
1.	WHETHER SERVER ROOM HAVE DUAL AC UNITS WITH TIMER CIRCUIT DEVICE ON INDEPENDENT CIRCUITS	YES / NO	
2.	WHETHER EXHAUST FANS ARE INSTALLED IN UPS ROOM	YES / NO	
3.	WHETHER PROPER INSULATION AT THE BATTERIES HAVE BEEN PROVIDED	YES / NO	

The particulars furnished in the application are true to the best of my/our knowledge & belief. I / we understand that if any of the particulars is found incorrect, even at a later stage, my/our contract will be cancelled.

DATE:
PLACE:



SIGNATURE WITH SEAL OF AUDITOR



FORMAT FOR ELECTRICAL SAFETY AUDIT FOR PREMISES HAVING MULTIPLE FLOORS / OFFICES

1. Assessment of luminaries / light fittings

Type of luminaries / light fittings	No of luminaries / light fittings	Lux level of luminaries / light fittings	Total electrical load consumption		Remarks (Condition of light fixtures acceptable or Not)	Suggestions for improvement, if any
			Watt	Amp		

2. Floor wise assessment of Air conditioning system

Type of Air conditioning units	No of Air conditioners	Capacity of Air conditioner (TR)	Total electrical load consumption		Condition of air conditioning system	Remarks (Condition of machine acceptable or Not)	Suggestions on improvement, if any
			Watt	Amp			

3. Floor wise assessment of UPS

No of UPS	Capacity (KVA)	P-P Voltage of each UPS			P-N Voltage each UPS			Phase Currents			Total electrical load consumption	Neutral Earthing & its adequacy	Protective earthing & its adequacy	Remarks (Condition of machine acceptable or Not)	Suggestions on improvement, if any	
		R	Y	B	R	Y	B	R	Y	B						KW





4. Floor wise assessment of electric circuit

Sl.No	Heads	Result	Remarks (acceptable or Not)	Suggestions on improvement, if any
1	Presence of Main switch interlocking if two different supplies are coming to Distribution panel			
2	Availability of correct identification of circuit details and protective devices			
3	Presence of non standard (mixed) cable colour warning notice at or near consumer unit / Distribution board			
4	Cables correctly supported throughout their run or not			
5	Condition of insulation of live parts			
6	Adequacy of wiring for current carrying capacity with regard to the type and nature of the installation			
7	Adequacy of protective devices, type and rated current for fault protection			
8	Presence and adequacy of circuit protective conductors			
9	Whether Low voltage cables segregated from Medium voltage cables			
10	Whether Cables separated / segregated from non electrical services			
11	Whether proper termination of cables at enclosures			





12	Connections soundly made and under no undue strain	Insulation of conductor visible outside enclosure			
		Connections of live conductors adequately enclosed			
		Adequately connected at point of entry to enclosure (glands, bushes etc.,)			
		Condition of accessories including socket outlets, switches & joint boxes			
13	Other special observations, if any record the results of particular inspections applied Separately				

5. Floor wise assessment of electrical Panel room

Sl.No	Heads	Result	Remarks acceptable or Not)	Suggestions on improvement, if any
1	Presence of Main switch interlocking if two different supplies are coming to Distribution panel			
2	Availability of correct identification of circuit details and protective devices			
3	Presence of non standard (mixed) cable colour warning notice at or near consumer unit / Distribution board			
4	Cables correctly supported throughout their run or not			
5	Condition of insulation of live parts			
6	Adequacy of wiring for current carrying capacity with regard to the type and nature of the installation			
7	Adequacy of protective devices, type and rated current for fault protection			





8	Presence and adequacy of circuit protective conductors				
9	Whether Low voltage cables segregated from Medium voltage cables				
10	Whether Cables separated / segregated from non electrical services				
11	Adequacy of protective earthing conductor				
12	Adequacy of Neutral earthing conductor				
13	Whether proper termination of cables at enclosures				
14	Connections soundly made and under no undue strain	insulation of conductor visible outside enclosure			
		Connections of live conductors adequately enclosed			
		Adequately connected at point of entry to enclosure (glands, bushes etc.,)			
		Condition of accessories including socket outlets, switches & joint boxes			
15	Details switch gear panels	No of Panels			
		Rating of panels			
		Measurement of P-P & P-N voltage of Panels			
		Measurement of P-P & P-N current of Panels			
		Condition of Panels			
		Any other observations			
16	Whether method of Cables laid inside the Electrical room is acceptable				
17	Total Electrical Load of the Floor	Air conditioning load			
		Light & power load			
18	Whether electrical load balancing is acceptable (give details of phase wise load)				
19	Other special observations, if any record the results of particular inspections applied separately				





6. Assessment of Transformer

No. of Trans formers	Capacity of each Transformers		P-P Voltage of each Transformers			P-N Voltage each			Phase Currents			Total electrical load consumption		Neutral Earthing & its adequacy	Protective earthing & its	Condition of insulation	Whether transformers loaded/under	Remarks (Condition of machine acceptable or Not)	Suggestions on improvement, if
	1. Rating	2. make	R	Y	B	R	Y	B	R	Y	B	KW	A						

7. Assessment of Elevator

NUMBER	Capacity of each elevators		P-P Voltage			P-N Voltage			Phase Currents			Total electrical load		Para meters of the mot	Neutral Earthing & its	Protective	Condition of insulations	Remark (Condition of machine)	Suggestions on improvement, if	
	1. Rating	2. make	R	Y	B	R	Y	B	R	Y	B	KW	A							No

8. Assessment of Pump

N o of Pump	Capacity of each pump			P-P Voltage			P-N Voltage			Phase Currents			Total electrical load consumption		Para meters of the pum p	Neutral Earthing & its adequacy	Protective earthing & its	Condit ion of insulations	Remarks (Condition of	Suggestions on improvement, if	
	1. Rating	2. make	3. type	R	Y	B	R	Y	B	R	Y	B	KW	A							No





9. Assessment of earthing system

Earthing Continuity Testing: This Test is conducted to find out any equipment that has not been earthed properly and in compliance with Indian Electricity Act 1956, IS-1200 part I and as per IS-3043 of 1966. It is to be checked with the help of Continuity Testing Meter and Earth Resistance Meter

Sl. No	Heads	Result	Remarks (acceptable or Not)	Suggestions with new technologically energy efficient, environment friendly, cost benefited air conditioning system
1	No of earth pit			
2	Type			
3	Earthing test report			
4	Continuity test report			
5	Condition of total earthing system for the building. (Give detail report)			
6	Neutral Earthing& its adequacy			
7	Protective Earthing& its adequacy			
8	Other special observations, if any record the results of particular inspections applied separately			

10. Assessment of lighting protection system

Sl. No	Heads	Result	Remarks (acceptable or Not)	Suggestions with new technologically energy efficient, environment friendly, cost benefited air conditioning system
1	Number of terminals			
2	Number of down conductors			
3	Continuity of conductor			
4	Condition of the lightning conductor			
5	Joints condition			
6	Testing point on down conductor			
7	Earth conductor condition			
8	Earth resistance			
9	Other special observations, if any record the results of particular inspections applied separately			





11. Assessment of Diesel Generating Set :

No of Diesel Generator Set	Capacity of each Diesel Generator Set	P-P Voltage of each Diesel			P-N Voltage each			Phase Currents				Total electrical load	Neutral Earthing & its adequacy	Protective earthing & its	Condition of Diesel Generator Set	Whether Diesel Generator Set	Remarks (Condition of machine)	Suggestions on
		R	Y	B	R	Y	B	R	Y	B	KW							

SIGNATURE WITH SEAL

(CONSULTANT / CONTRACTOR)

(OFFICER OF BRANCH / OFFICE)

NAME OF THE ELECTRICAL ENGINEER / CONSULTANT / CONTRACTOR:

SUPERVISOR'S VALID LICENSE NO:

DATE:

PLACE:

The particulars furnished in the application are true to the best of my/our knowledge & belief. I/we understand that if any of the particulars is found incorrect, even at a later stage, my/our contract will be cancelled.

SIGNATURE WITH SEAL

(CONSULTANT/CONTRACTOR)

DATE:

PLACE:





FORMAT FOR ELECTRICAL ENERGY AUDIT FOR BRANCHES

BRANCH CODE & NAME	
ADDRESS	
SANCTIONED LOAD	
CONNECTED LOAD	
MONTHLY ELECTRICITY BILL (APPX)	
TOTAL TONNAGE OF AIR CONDITIONER LOAD	
AREA OF THE BRANCH	

ELECTRICAL ENERGY AUDIT:

S.No.	DESCRIPTION	Wattage	Recommendation
1.	Type of Electrical Fittings installed and its Lux level and Wattage		
2.	No of Ceiling Fan installed and its power consumption.		
3.	No. of Wall Fan installed and its power consumption		
4.	No of Air-conditioners and its capacity and power consumption of each.		
5.	No of computer installed and its power consumption.		
6.	UPS installed and its capacity		
7.	Any other gadgets installed and its power consumption.		
8.	Verification of electricity Bill for last 12 months and observation if any		
9.	Leakage if any in the wiring system		

The particulars furnished in the application are true to the best of my/our knowledge & belief. I O/we understand that if any of the particulars is found incorrect, even at a later stage, my/our contract will be cancelled.

SIGNATURE & SEAL OF AUDITOR

DATE:

PLACE:





DETAILS OF BRANCHES/OFFICES UNDER VARANASI ZONE

S No	CBS No	IBGA	Branch Name
1	7031	A554	AKHAR
2	7325	A557	ALAMPATTI
3	6726	A590	AMARA
4	7033	G627	AVAYA
5	6959	B514	BABURA (BADLAPUR) JAUNPUR
6	5396	B522	BADDUPUR GHAZIPUR
7	6055	B558	BAIRIA BLD INTE COLLEGE
8	4405	B578	BALLIA
9	2089	B125	BALLIA
10	6221	B586	BALUA BRANCH
11	4101	B627	BANSDIH
12	7137	B628	BANSPAR BAHORAVA
13	6957	B639	BARAGAON VARANASI
14	6955	B641	BARAHPUR (NANDGANJ)
15	6675	B733	Benipur
16	5255	B739	BETABAR
17	6958	B742	BHABANIYAW (DHANAPUR)
18	4445	B744	BHADOHI
19	5534	B834	BIRPURA
20	7176	C513	Chakia
21	7032	C514	CHAKIYA
22	7335	C515	CHAKNANDAVEER
23	6000	C533	CHANDAULI
24	7445	C547	CHANDWAK
25	4091	C598	CHIRAYAKOTE
26	7019	C605	CHOLAPUR VARANASI
27	4095	C611	CHOUBEYPUR
28	5571	C617	CHOWKIA
29	6861	D506	DAFFI
30	7177	D588	Devkhatiya
31	4100	D642	DILDARNAGAR
32	4235	D671	DULHAPUR GHAZIPUR
33	4098	G560	GHAZIPUR
34	2050	G084	GHAZIPUR
35	957	G035	GODOWLIA
36	2203	G090	GOPIGANJ
37	5201	G617	GORAUR
38	6956	G626	GOVINDPUR (ROHANIA)
39	1945	G080	GYANPUR
40	2051	J041	JAUNPUR
41	4403	J585	JAUNPUR (JAHANGIRABAD)
42	6001	K507	KACHNARRAJTALAB
43	5232	K547	KALYANPUR
44	4635	K549	KAMALPUR



DETAILS OF BRANCHES/OFFICES UNDER VARANASI ZONE			
45	6022	K619	KASHI VIDYAPITH
46	6862	K649	KERAKAT
47	5233	K666	KHAJHA
48	4094	K672	KHAMARIA
49	4605	L552	LOHTA
50	7175	M506	Machli Shahar
51	4319	U502	Mahabir Mandir Road Br
52	5212	M542	MAHEND
53	7178	M639	MARIAHU
54	4519	M670	MAUNATH BHANJAN
55	4568	M727	MOGHALSARAI
56	7501	N592	NEWADHIYA BRANCH
57	5355	P537	PALIYA
58	6215	P557	PANDEYPUR BRANCH
59	6142	P646	PILI KOTHI
60	6275	P631	P G COLLEGE GHAZIPUR BRANCH
61	7179	R567	Ramnagar
62	7453	R572	RAMPUR
63	4257	R596	RANIGANJ BAZAR
64	6095	R620	RAVINDRA PURI COLONY
65	2865	R106	RAVINDRAPURI VARANASI
66	5999	S532	SAIDPUR
67	7101	S667	Shivpur
68	6103	S668	SHIVPURA
69	7421	S704	SINDHORA
70	4307	K618	Station Road Branch
71	5635	S783	SULTANIPURVARANASI
72	2403	T163	TENDUA
73	6960	T558	THATRA (KACHHWA ROAD)
74	6280	U533	UP STATE SPINNING CO LTD BRANCH
75	5161	V505	VANPOKHERA
76	438	V009	VARANASI
77	5965	B874	VARANASI BRIJ ENCLAVE
78	4092	V507	VARANASI CHOWK
79	4547	V509	VARANASI KAMACHHA
80	4907	M600	VARANASI MANDUADIH
81	5112	N505	VARANASI NADESAR
82	6065	V510	VARANASI S.SANS VISHWAVIDYALAYA
83	6064	U501	VARANASI UDAI P
84	4099	Y506	YUSUPPUR
85	9710	Z155	ZONAL OFFICE VARANASI
86	4307	K618	CURRENCY CHEST
87	3375	R234	RAPC AND MAPC (IN SAME BUILDING)
88	4519	M670	MAUNATH BHANJAN (OFFSITE ATM)
89	4307	K618	STATION ROAD VARANASI (OFFSITE ATM)
90	6022	K619	KASHI VIDYA PITH (OFFSITE ATM)
91	6064	U501	U P COLLEGE (OFFSITE ATM)



Note :- Onsite ATMs have common Electrical connection with Branch. Offsite ATMs are considered as one unit with respective Branch. Any increase/decrease in site will be informed as and when required.